WATER WELL RECORD		Form W	WC-5	Di	Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:		Fraction			on Number	Township No.	Range Number		
	ty: Finr		¼ NW ¼ NE			27 T 22 S R 32 DE 🗹			
		Address of Well Location; i		Globa	Global Positioning System (GPS) information:				
	from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)		
	Jennie Barker Rd & Miller Rd. 3.8 Miles South, 1200' East, 750'					Longitude: (in decimal degrees)			
North, 600' East, 50' N.						Elevation:			
2 WATER WELL OWNER: Armas Rojelio						Collection Method:			
RR#, Street Address, Box #: 620 W. Prospect Ave.						GPS unit (Make/Model:)			
City Ct-ty ZID Co. I			Digital Map/Photo, Topographic Map,			c Map, Land Survey			
					Est. A	ccuracy: <a> 	3 m, 🔲 3-5 m, 🔲	5-15 m, \square >15 m	
3 LOCATE WELL									
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 749 ft. ft.								
SEC	CTION BOX: N Depth(s) Groundwater Encountered (1)								
Pump test data: Well water was 603									
FOT VIELD 20 WILL (
W NW - NE - EST. YIELD. 20gpm. Well water wastt. after									
WELL WATER TO RELIGER AS CORRESPONDED AS CORRE									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well SwSWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
If yes, mo/day/yr sample was submitted									
Water well disinfected? ☑ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5 in. to .540 ft. Diameter in. to ft. Diameter in. to ft.									
Casing height above land surface18									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From 25									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout									
	itervals:	From .9 ft. to	ft., From	1.460	ft. to !	.80 ft.,	From	ft. toft.	
What is the nearest source of possible contamination:									
✓ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Insecticide storage □ Other (specify below) □ Sewer lines □ Cesspool □ Sewage lagoon □ Fuel storage □ A handoned water well									
Sewer lines									
Direc	ction fror	n well South West				0001			
FROM	ТО	LITHOLOG	IC LOG	FROM	TO			GGING INTERVALS	
0	2	Top Soil	***************************************	+	584		ck Shale, Sand		
2	64	Brown Clay		-	644		e Hard With Blad		
64	114	Gypsum, Cemented Sa	nd, Brown Clay		680	Soft Gray S			
114	161	Medium Sand Small Gr		1	740		e Hard With Loo	se Streaks	
161	178	Brown Clay							
178	183	Fine Sand							
183	216	Brown Clay							
216	232	Gypsum Brown Clay							
232	404	Black And Gray Shale							
404	519								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .91019 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 532 This Water Well Record was completed on (pro/day/year) 10-2-19									
under the business name of .Midwest Well & Pump Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									