

Original Record		W W C-5		0070		sion of Wate			W-11 ID		
1 LOCATION OF WA		e in Well U Fraction	se			irces App. Nion Numbe		Torreshin Numb	Well ID	a Numbar	
County:	AIER WELL:	1/4	1/4 1	/ ₄ 1/ ₄	Secu	ion Numbe	Г	Township Numb	er Rai	nge Number □ E □ W	
2 WELL OWNER: La	. NT		74 7		. D.1200	1 Addraga	who	re well is located			
Business:	st Name:	First:									
Address:	direction from nearest town of intersection). If at owner 5 actives, enter inter-						check here.				
Address:											
City:	State:	ZIP:				1					
3 LOCATE WELL	4 DEPTH OF COM	IPLETED	WELL:		ft	5 Latitu	ıde.			(decimal degrees)	
WITH "X" IN	Depth(s) Groundwater I						5 Latitude:				
SECTION BOX:	2) ft. 3				Well Datum: \(\superscript{WGS 84} \superscript{NAD 83} \superscript{NAD 27}						
N	WELL'S STATIC WA	TER LEVE	L:	ft.							
	 below land surface, 	, measured o	on (mo-day	y-yr)			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)				
NW NE	above land surface,										
	Pump test data: Well w							nd Survey			
W E	after hours	s pumping vater was				☐ Online Mapper:					
SW SE	after hours										
	Estimated Yield:		• • • • • • • • • • • • • • • • • • • •	gpm	6 Elevation:ft. ☐ Ground L			Clevation:ft. 🔲 Ground Level 🔲 TOC			
S	Bore Hole Diameter:		io	ft. and							
mile		in.						Other			
7 WELL WATER TO	BE USED AS:										
1. Domestic:	5. 🗌 Public Wa	ter Supply:	well ID			10. 🔲 Oil	l Fiel	ld Water Supply: 16	ease		
☐ Household	6. Dewaterin				11. Test Hole: well ID						
☐ Lawn & Garden	 7. ☐ Aquifer Re 							☐ Uncased ☐ □			
Livestock	8. Monitoring							al: how many bores			
2. Irrigation	9. Environmenta							Loop Horizont			
3. Feedlot	☐ Air Sparge		Soil Vapor	Extraction	traction b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):						
4. Industrial	Recovery		Injection								
Was a chemical/bacteri		itted to K	DHE? □	Yes 🗆	No .	If yes, date	san	nple was submitte	d:		
Water well disinfected?											
8 TYPE OF CASING											
Casing diameter											
Casing height above land so			t	lbs	./ft.	Wall thick	ness	or gauge No	• • • • • • • • • • • • • • • • • • • •		
TYPE OF SCREEN OR						□ 041-	(6	: c)			
	less Steel		□ PVC	used (oper	, hola)		er (S	pecify)	• • • • • • • • • • • • • • • • • • • •	•••••	
SCREEN OR PERFORA			☐ None	useu (opei	i iioie)						
		auze Wrapp	ed \Box T	orch Cut	□ Dri	illed Holes		Other (Specify)			
	☐ Key Punched ☐ W					ne (Open H		omer (speen))			
SCREEN-PERFORATE								ft., From	ft. to	ft.	
GRAVEL PAC	K INTERVALS: From	1 1	ft. to	ft., F1	om	ft. to		ft., From	ft. to	ft.	
9 GROUT MATERIA											
Grout Intervals: From											
Nearest source of possible											
☐ Septic Tank	☐ Lateral Line		Pit Privy			ivestock Per			cide Storage		
☐ Sewer Lines	Cess Pool		Sewage L			uel Storage			oned Water		
☐ Watertight Sewer Line	es Seepage Pit		Feedyard		□F	ertilizer Sto	rage	☐ Oil We	ll/Gas Well		
Direction from well?								ft			
10 FROM TO	LITHOLOG		ince moni v	FRO				HO. LOG (cont.) or		GINTERVALS	
TO TROM	EITHOLOG	JIC LOG		TRO	IVI	10	17111	110. LOG (cont.) of	TLUGGIIV	O II VI EK VI IES	
Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction an	under my jurisdiction and was completed on (mo-day-year)										
Kansas Water Well Cont	tractor's License No		. This W	ater Well	Reco	rd was con	nplet	ted on (mo-day-y	ear)		
under the business name of											
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	John S Standley
Doc ID	1110576

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	24	BROWN CLAY
24	40	BLUE CLAY
40	72	BROWN CLAY (SOFT- STICKY)
72	92	BROWN CLAY, GYPSUM STREAKS
92	102	GYSUM
102	105	BROWN CLAY
105	110	COARSE SAND SMALL GRAVEL
110	120	BROWN CLAY, CEMENTED SAND
120	122	MEDIUM-COARSE SAND
122	131	BROWN CLAY CEMEMNTED SAND
131	142	FINE TO MED SAND SOME SMALL GRAVEL SAND STREAKS
142	164	MED - COARSE SAND SMALL TO MED GRAVEL
164	166	BROWN CLAY
166	182	FINE TO MED SAND
182	195	MED-COARSE SAND,SMALL GRAVEL,WHITE BROKEN ROCK
195	218	YELLOW SOAPSTONE, GRAY SHALE

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	John S Standley
Doc ID	1110576

Litholgy

From	То	LithologicLog
218		BLACK SHALE