KOLAR Document ID: 1607081

	WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wat ources App.			Well ID	
		ATER WEL		Fraction		ction Numb		Township Numbe		ge Number
County				1/4 1/4 1/4				T S	R	
2 WELL OWNER: Last Name: First: Street						eet or Rural Address where well is located (if unknown, distance and ction from nearest town or intersection): If at owner's address, check here:				
	3 LOCATE WELL									
WITH "X							5 Latitude:			
SECTION N	SECTION BOX:Depth(s) Groundwater Encountered: 1)N2)									
		WELL'S ST	ATIC WA	TER LEVEL:	ft.	ft. Source for Latitude/Longitude:				
below land surface, measured on (mo-day-yr										
above land surface, measured on (mo-day- Pump test data: Well water was							io)			
w		~		s pumping			Land Survey Topographic Map Online Mapper:			
				vater was f				- mappen		
SW	SE			s pumping	gpm	6 Elev	ation	· ft	Ground	Level 🗖 TOC
S		Estimated Y		gpm in. to		6 Elevation :ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map				
1 m		Doit Hole L		in. to			Other			
7 WELL V	VATER TO	BE USED A	S:			I				
1. Domestic:				ater Supply: well ID				ld Water Supply: le		
☐ Househ □ Lawn &				ig: how many wells?				well ID		
\Box Lawn α				echarge: well ID g: well ID				al: how many bores		
2. Irrigatio				al Remediation: well II				Loop [] Horizonta		
3. 🗌 Feedlot			Air Sparge	-	Extraction	xtraction b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water				
4. 🗌 Industri			Recovery	0				(specify):		
	Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
				C 🗌 Other	CASI	NG JOINTS	S: □	Glued Clamped	U Welded	1 🗌 Threaded
				Diameter						
		urface			lbs./ft.	Wall thic	kness	or gauge No		
TYPE OF S		PERFORAT less Steel	TON MA	TERIAL: $\square PVC$			thar (S	Specify)		
		anized Steel			used (open hol		uiei (c	specify)	•••••	
		ATION OPE	NINGS A		(°F					
Continu		☐ Mill Slot			orch Cut			Other (Specify)		
		Key Punch				None (Open l		¢ F	6	c
				n ft. to n ft. to						
				Cement grout \Box Be						
Grout Interva	ls: From	ft. to		ft., From						
		e contaminati		potential source of cor						
□ Septic T □ Sewer L			Lateral Line Cess Pool			Livestock P		☐ Insectic ☐ Abando		
				☐ Sewage La		Fertilizer St				wen
Other (S	Specify)						0			
Direction from well? Distance from well? ft. 10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS										
10 FROM	TO	L	THOLOG	GICLOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	3 INTERVALS
ļŢ										
├										
					Notes:		I			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No										
under the business name of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1607081

Lithology

From	То	LithologicLog
0	2	top soil
2	28	brown sandy clay w/ couple fine sand layers
28	69	brown sandy clay
69	76	gray clay
76	80	brown sandy clay
80	110	gray & light green clay w/ few lime rock strips
110	148	brown sandy w/ fine sand mixed
148	155	fine med coarse sand
155	165	brown sandy clay
165	184	fine med coarse sand w/ many clay layers
184	194	fine med sand
194	223	fine med coarse sand small gravel w/ few brown rock
223	228	brown sandy clay
228	245	fine med coarse sand few small gravel w/ brown rock
245	248	brown sandy clay
248	261	fine med coarse sand w/ tan rock
261	276	fine med sand w/ little caliche & thin clay streaks
276	290	fine med coarse sand w/ some tan rock

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1607081

Lithology

From	То	LithologicLog
290	300	black shale