KOLAR Document ID: 1511696

WATER V		ECORD Correction		WWC-5	e			sion of Wate			Well 1	m [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					Resources App. No. Section Number Township Numb					ge Number			
County: 14 14			1/4 1/4	4 1/4	1			□E □W					
·					Street or	reet or Rural Address where well is located (if unknown, distance and							
Business:						direction f	irection from nearest town or intersection): If at owner's address, check here:						
Address:													
Address: City: State: ZIP:													
3 LOCATE	WELL												
WITH "X"		4 DEPTH					ft.						
SECTION	BOX:	Depth(s) Gr					11			e:			
N				3)1 TER LEVEL							AD 27		
				measured o									,
NW	- NE					mo-day-yr)			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)				
	1	_		vater was ft.				☐ Land Survey ☐ Topograp					• ,
w J	Е	after		s pumping gpm vater was ft.				☐ Online Mapper:					
sw	- SE	aftar											
		Estimated Y		s pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC				Level 🔲 TOC	
S				gpm				Source: Land Survey GPS Topographic				pographic Map	
1 mil	le			in. to						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 16			
Househo							11. Test Hole: well ID						
☐ Lawn &☐ Livestoc					ge: well ID					☐ Uncased ☐ (al: how many bores			
2. ☐ Irrigation													
3. ☐ Feedlot			Air Sparge	al Remediation: well ID				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wat					
4. Industria	1		Recovery		njection		13. Other (specify):						
Was a chemi	ical/bacteri	ological san	nple subm	itted to KI	OHE? □	Yes \square	No	If yes, date	e sar	nple was submitte	:d:		
Water well d					_	_		3		1			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		CA	ASIN	G JOINTS	:	Glued Clamped	d 🔲 We	lded	☐ Threaded
										in. to			
Casing height						lbs	./ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SC			TION MA	ΓERIAL:						7 (6)			
☐ Steel ☐ Brass		less Steel anized Steel			□ PVC	used (open	holo)		ner (S	Specify)		• • • • • •	•••••
SCREEN OR	_		NINGS AI	RF.	☐ None	useu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrappe	d □T	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
☐ Louvere		☐ Key Punch						ne (Open H		(-1),			
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı ft	. to	ft., Fr	om	ft. to	o	ft., From	ft	i. to .	ft.
GR	AVEL PAC	K INTERV	ALS: From	1 fi	t. to	ft., Fr	om	ft. t	o	ft., From	ft	t. to	ft.
				. ft., From potential so	uras of so	. ft. to		ft., From	••••	ft. to	ft.		
Nearest sourc			Lateral Line		uice of cor Pit Privy	itammatio		iii 200 it. Livestock Pe	ne	☐ Insection	cide Stor	rage	
Sewer Li			Cess Pool			agoon		Fuel Storage		☐ Abando			Vell
☐ Watertigl	ht Sewer Line	es 🗆 S	Seepage Pit		Feedyard	_		ertilizer Sto					
Other (Sp	pecify)												
					nce from w					ft.		313.16	S DIEEDII I G
10 FROM	TO		ITHOLOG	ilC LOG		FRO	M	TO	LH	HO. LOG (cont.) or	r PLUGC	JINC	INTERVALS
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	r Well Cont	tractor's Lice	ense No		. This W	ater Well	Reco	ord was con	nple	ted on (mo-day-y	ear)		
under the bus	siness name	of	****	TT 1 0**				1 5 21		or each <u>constructed</u> we		<u></u>	
KS Departme	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER Vater, Geology	and retain Section 1	one for you 000 SW Jac	r record kson S	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	eil. 57. Telen	hone	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							- ~PC					

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Don Rome
Doc ID	1511696

Lithology

From	То	LithologicLog
0	2	top soil
2	21	brown sandy clay, some fine sand strips
21	43	brown clay, few white rock strips
43	50	brown sandy clay, some fine sand strips
50	60	brown sandy clay, white rock strips, few clay strips
60	71	brown sandy clay, fine to med sand, few small to large gravel
71	116	brown sandy clay, white rock strips
116	150	fine to med coarse sand, few small rock, few sand clay strips
150	160	brown sandy clay
160	181	fine to med coarse, few small gravel, few sandy clay
181	205	fine to med sand, sandy clay strips
205	215	sandy clay, few fine sand strips
215	234	fine to med few coarse sand
234	250	fine sand, sandy clay, lime rock mix
250	270	fine sand, few sandy clay
270	312	fine to med coarse sand, small gravel strips

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Don Rome
Doc ID	1511696

Lithology

From	То	LithologicLog
312	320	shale