
## CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4) Section-Township-Range changed:
listed as $SE 26-22s-35W$
changed to
Other changes: Initial statements: Finney Co.
Changed to: Kearney Co.
Comments:
verification method: Legal description on form, written description  # Wolf & Wolf SW 1:24,000 topo. maps. initials: ARL date: 6/29/99  submitted by: Kenses Geological Survey Data Recovered Library, 1920 Constant Ave. Leganore VS 66047.3726
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY.

## WATER WELL RECORD KSA 82a-1201-1215



Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansas 66620

1 Location of well:	To	wnship name	Fraction		on number 26		Town number	Range number	
Distance and direction from neares	t town or city: n city:	n Dufield	9	er of well dress:		_	seels Ko	Tres	
Locate with "X" in section below:		Sketch map:					Well depth: 210 ft. D		25
	! !	I for	inipid Die	ell so	,	[	Cable tool Rotary  Hollow rod Jetted  Jse: Domestic Public	Bored Reverse rotary	
w	' E		1/100 H.			7 (	Irrigation Air co	onditioning Commercial	
S Mile		<b>,</b>	( week				Threaded Welded Is	urface 42 in. Veight 480 lbs./ft	
2	Type and	l color of material		From	То	0	in.toft.depth	· · · · · · · · · · · · · · · · · · ·	
Top Soil	1 0			0	8		Manufacturer DET Type PUC [ Slot/gauze K	)ia	
Bifun Sard	ychay			8	15	:	Set between 150t, and Fittings:	210ft	
Sine Sand	00	/ /	·	/5	20 CS		Gravel pack Yes No	Size range of material 🚣	T.
Silver Hat	Sand	clay		20	50		ft. below land surface		
Delus Ser	dy clu		0/100	79	10		Pumping level below land sur           ft. after hrs           ft. after hrs	pumping g.p.m.	
Believe I	ans	( gjare)	( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	25	20		Estimated maximum yield — Water sample submitted:		-
Belles	and a	the fla	et 1. Se	1)80	89		Yes No Date	9	1
Begin land	- clari	and I	a Sould grand	189	100			Inches above grade	AK
Bean Sand	, day	3070 of of	Selgen	100	102	!	Neot cement Bentoni Depth: From 5 ft. to	te U Hottland	arr
die and S	and & g	pavel/low	re) few stelony	102	130	14	Nearest source of possible co	ntgmination:	1
Gellow Che	y Ste	ty)	100		140		Well disinfected upon comple		117
Billen Sans	yclay	Compa.	at Kods	140	150		Manufacturer's nameModel number 25E	HP <u>2</u> ∨olts23	þ
and would	and of	most (	(800e)	150	160		Length of drop pipe	it. copacity g.m.p.	$ \omega $
Tio Olando	y Class	cond sheet if needed	Man a)	100	180		Submersible  Jet  Certrifugal	Turbine Reciprocating Other	8
elevation		will	doon	'Cer	ne I		Water well contractor's certi This well was drilled under m		12
Topography:	b. He	knows	this is a	egal	ation		report is true to the best of r	knowledge and belief.	,,
Hill Slope Upland Valley	,	PH	lich G.	Mor	gov		Address Signed Authorized repres	License No.	35
Forward the white, blue and pink o	opies to the Kanso	as State Dept. Of He	alth.			L		Form WWC-	2 ° S

N. 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2
USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
DOMAIT CLEADLY
PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

		П	
T	R	EW	sec 1/4 1/4 1/4 No.

Karsas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740 Topeka, Kansas 66620

Distance and direction from nearest town or city:  Street address of well location if in city:  Locate with "X" in section below:  Sketch map:  3 Owner of well: Steering Ranch Tree  Address: Descripted / Ko.  4 Well depth: ft. Date of					
Locate with "X" in section below: Sketch map: 4 Well depth: ft. Date of					
Locate with "X" in section below: Sketch map: 4 Well depth: ft. Date of					
1	of completion				
Well diameter in.					
5   Cable tool   Rotary   Dri	ored Reverse rotary				
W ===================================	☐ Irrigation ☐ Air conditioning ☐ Commercial ☐ Test well ☐				
2 Type and color of material From To					
8 Screen:					
fine to mid sand agrand (loss) 80 85 Type Dia.					
Believe sandy Clay 85 88 Set between ft. and					
Sarah Rach   Fittings: Gravel pack Yes No Size 1					
To Donald man of Many of 190 190 9 Static water level:					
Musefull [Abultar] 10 Pumping level below land surface Date 10 Pumping level below land surfaces:	s:				
Beden Jardyclau 55/8 - ft. after - hrs. pur	mping g.p.m.				
Mul Mark  Estimated maximum yield  11 Water sample submitted:	— g.p.m.				
Bestern Levely day 260 200 12 Well head completion:	=				
displient that the diament they but the	nches above grade				
My well who Rul   13 Well grouted?   Yes   Neat cement   Bentonite   Depth: From — ft. ta —					
14 Nearest source of possible contamin					
ft Direction Well disinfected upon completion?					
	lot installed				
	Volts				
Length of drop pipe ft. ca					
Type: ☐ Submersible ☐ Tur	urbine				
	eciprocating Other				
16 Remarks: elevation 17 Water well contractor's certification	1				
This well was drilled under my juris report is true to the best of my known					
Topography:  Hill Business name	License No.				
Slope Address ————	License No.				
Upland Signed — Authorized representativ	ve Date				