WATER WELL RECORD	Form WW	C-5	Div	ision of Wate:	r Resources App. No	12,208 24,489	
1 LOCATION OF WATER WELL:	Fraction		Section	n Number	Township No.	Range Number	
County: KEARNY	1/4 SE 1/4 SE 1/4			36	T 22 S	R 35 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		Global Positioning System (GPS) information: Latitude:					
NORTH SIDE OF DEERFIELD-1/2 M N TO HWY 50, 1 M NE, 6 M			Longitude: (in decimal degrees) Longitude: (in decimal degrees)				
N, 1 MILE E, 2,732' N & 3,043' W		Elevation:					
2 WATER WELL OWNER: GRAHAM FARMS, INC-SEE BELOW RR#, Street Address, Box #: 2150 ROAD 220		Collection Method:					
at a grant at			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
DEERI	FIELD, KS 67838				3 m, 3-5 m,		
3 LOCATE WELL	COMDITION WITH	310		£.	-		
WITH AN "X" IN 4 DEPTH OF SECTION BOX: Depth(s) Groun	HAN "X" IN JOEPTH OF COMPLETED WELL						
N WELL'S STAT	N WELL'S STATIC WATER LEVEL. 178						
Pump test data: Well water wasft. after hours pumping gpm							
W NW- NE- E EST. YIELD gpm. Well water was ft. after hours pumping gpm. Bore Hole Diameter .30 in. to							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Sw Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted							
Water well disinfected? \[\sqrt{Y}\) Yes \[\sqrt{N}\) No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: 🔲 Glued 🔲 Clamped 🗹 Welded 🔲 Threaded							
Casing diameter16 in. to .220 ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface							
YPE OF SCREEN OR PERFORATION MATERIAL. Steel							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 220 ft. to 310 ft., From ft. to ft.							
From							
From							
6 GROUT MATERIAL: ☐ Neat cement							
Grout Intervals: From	to ft., From .	150	tt. to	£!⊻ ft.	, From	rt. tott.	
What is the nearest source of possible cor	itamination: lines	Livestock j	pens	☐ Insecticid	e storage	her (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage Direction from well		Fertilizer s Distance		☐ Oil well/g ell			
FROM TO LITHOLO		FROM	TO			UGGING INTERVALS	
SEE ATTACHED LO							
	10						
GRAHAM FARMS, IN & BOBBY LINN LAN							
FILE # 12,108	DOIN -						
GRAHAM FARMS, II							
& BOBBY LINN LAN							
& RUSSELL D. LANI FILE # 24,489	NOC -						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .4:30-13 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 5-1-13							
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white blue pink) to Kansas Depar tment of Hea	Ith and E ny ironment. Bureau o	f Water. Geol	ogy Secti	on, 1000 SW J	fackson St., Suite 420	, Topeka, Kansas 666 12-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212			C	heck: 🔲 W	/hite Copy, 🔲 B	lue Copy, 🔲 Pink Copy	

Professionals MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic and Repairing

INCORPORATED

Phone 620-276-8269 P.O. Box A GARDEN CITY, KANSAS 67846

NAME

GRAHAM FARMS, INC.

COUNTY DATE

KEARNY 3-19-13

LOCATION:

NW 1/4 36-22-35 - DEERFIELD HWY. 50 & CEMETARY ROAD - 7 MILES NORTH,

1/2 MILE EAST, 1/2 MILE SOUTH & 1/8TH MILE WEST

STATIC WATER LEVEL -

TEST#1

0' TO 2' - TOP SOIL

2' TO 14' - BROWN CLAY

14' TO 20' - FINE TO MEDIUM SAND & GRAVEL

20' TO 55' - BROWN CLAY

55' TO 63' - FINE TO MEDIUM SAND & GRAVEL

63' TO 93' - BROWN CLAY

93' TO 100' - FINE TO MEDIUM SAND & GRAVEL

100' TO 174' - BROWN CLAY

174' TO 204' - FINE TO MEDIUM SAND & GRAVEL

204' TO 217' - BROWN CLAY

217' TO 252' - FINE TO MEDIUM SAND & GRAVEL - WHITE ROCK - 10% CLAY

252' TO 260' - BROWN CLAY WITH GRAVEL STREAKS

260' TO 294' - FINE TO MEDIUM SAND & GRAVEL

294' TO 299' - BROWN YELLOW CLAY

299' TO 305' - SHALE

ZECEWE"

A. A. LALL