


1 LOCATION OF WATER WELL: County: Kearny Fraction: SW 1/4 SW 1/4 SE 1/4 Section Number: 21 Township Number: T 22 S Range Number: R 37 E/W

Distance and direction from nearest town or city street address of well if located within city?  
7 mi WEST, 13 mi NORTH of LAKIN, KS

2 WATER WELL OWNER: Ralph Gropp  
 RR#, St. Address, Box #: Box 924  
 City, State, ZIP Code: Lakin, Kansas 67860  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  


4 DEPTH OF COMPLETED WELL: 20 ft. ELEVATION: NA  
 Depth(s) Groundwater Encountered: 1. DRY ft. 2. NA ft. 3. NA ft.  
 WELL'S STATIC WATER LEVEL: 9.99 DRY ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was NA ft. after NA hours pumping NA gpm  
 Est. Yield NA gpm: Well water was NA ft. after NA hours pumping NA gpm  
 Bore Hole Diameter: 14 in. to NA ft., and NA in. to NA ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic     3 Feedlot     6 Oil field water supply     9 Dewatering     12 Other (Specify below)  
 2 Irrigation     4 Industrial     7 Lawn and garden only     10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes  No   
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: Glued  Clamped   
 2 PVC    4 ABS    6 Asbestos-Cement    9 Other (specify below)    Welded   
 7 Fiberglass    Galvanized Tin    Threaded   
 Blank casing diameter: 6 in. to NA ft., Dia NA in. to NA ft., Dia NA in. to NA ft.  
 Casing height above land surface: 3 ft, weight NA lbs./ft. Wall thickness or gauge No. NA  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    11 Other (specify) NA  
 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot    3 Mill slot    5 Gauzed wrapped    8 Saw cut    11 None (open hole)  
 2 Louvered shutter    4 Key punched    6 Wire wrapped    9 Drilled holes  
 7 Torch cut    10 Other (specify) NA  
 SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.  
 GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.

6 GROUT MATERIAL: 1 Neat cement  2 Cement grout    3 Bentonite  4 Other   
 Grout Intervals: From 6 ft. to 3 ft., From NA ft. to NA ft., From NA ft. to NA ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank    4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well  
 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well  
 3 Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage    16 Other (specify below) Herbicide/Pesticide spraying  
 13 Insecticide storage

Direction from well? -next to, all around-

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
20'	15'	SAND/Gravel			
15'	6'	DIRT/CLAY			
6'	3'	BENTONITE			
3'	0'	FILL DIRT			
		(as buffer)			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) 3/25/93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. NA This Water Well Record was completed on (mo/day/yr) 3/31/93 under the business name of RALPH GROPP by (signature) [Signature]