


1 LOCATION OF WATER WELL: Fraction NW 1/4 SW 1/4 SW 1/4 Section Number 28 Township Number T 22 S Range Number R 37 E/W  
 County: KEARNY

Distance and direction from nearest town or city street address of well if located within city?  
7 m. West, 12 m. N of Lakin City

2 WATER WELL OWNER: RALPH A. GROAP  
 RR#, St. Address, Box #: BOX 924 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: LAKIN, KS 67860 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 60 ft. ELEVATION: NA  
 Depth(s) Groundwater Encountered: 1. DRY ft. 2. NA ft. 3. NA ft.  
 WELL'S STATIC WATER LEVEL: DRY below land surface measured on mo/day/yr  
 Pump test data: Well water was NA ft. after NA hours pumping NA gpm  
 Est. Yield: NA gpm; Well water was NA ft. after NA hours pumping NA gpm  
 Bore Hole Diameter: NA in. to NA ft., and NA in. to NA ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below)  
 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No ; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: Glued.....Clamped   
 2 PVC    4 ABS    6 Asbestos-Cement    9 Other (specify below)    Welded.....  
 Blank casing diameter: 6 in. to NA ft., Dia. NA in. to NA ft., Dia. NA in. to NA ft.  
 Casing height above land surface: 3 ft weight NA lbs./ft. Wall thickness or gauge No. NA  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    11 Other (specify)  
 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot    3 Mill slot    5 Gauzed wrapped    8 Saw cut    11 None (open hole)  
 2 Louvered shutter    4 Key punched    6 Wire wrapped    9 Drilled holes  
 7 Torch cut    10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.  
 GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.

6 GROUT MATERIAL: 1 Neat cement    2 Cement grout    3 Bentonite    4 Other  
 Grout Intervals: From 6 ft. to 3 ft., From NA ft. to NA ft., From NA ft. to NA ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank    4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well  
 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well  
 3 Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage    16 Other (specify below)  
 Direction from well? PENS-ALL AROUND SPRAYING - 1/8 mile    How many feet? CRAP / SPRAYING

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
60'	55'	SAND			
55'	6'	DIAT / CLAY			
6'	3'	BENTONITE			
3'	0'	FILL DIAT			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) 3/25/1993 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. NA This Water Well Record was completed on (mo/day/yr) 3/31/1993 under the business name of \_\_\_\_\_ by (signature) [Signature]