WATER WELL RECORD	Form WWC-5	Division of Water	er Resources App. N	Io. L	
1 LOCATION OF WATER WELL:	Fraction			Range Number	
County: Reno	1/4 NW48W 1/45W	½ 3 /	T 22 S	R 🞸 □E 🗷 W	
Street/Rural Address of Well Location;					
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)		
		Longitude:	Longitude: (in decimal degrees)		
3418 N Kent Rd		Elevation:	Elevation:		
· · · · · · · · · · · · · · · · · · ·		<u> </u>	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: Dou	y Reeves	Collection Method:			
2 WATER WELL OWNER: Doug Reeves RR#, Street Address, Box #: 1509 N Maple City, State, ZIP Code : Hutch K5 67501			GPS unit (Make/Model:)		
City, State, ZIP Code : Hutch KS 67.50/			☐ Digital Map/Photo, 🛣 Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
		Est. Accuracy:	<3 m,] 3-13 m, <u></u> ≥13 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL					
N WELL'S STAT	WELL'S STATIC WATER LEVEL 9ft. below land surface measured on mo/day/yr. 6.78.70				
Pum	Pump test data: Well water was3/ft. after2 hours pumping. 2.5 gpm				
EST VIELD	EST. YIELDgpm. Well water wasft. after hours pumping gpm				
w NW NE EST. TIELD Bore Hole Dian	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well				
SW SE Domestic					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected?					
5 TYPE OF CASING USED: Steel PVC Other Other					
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded					
Casing diameter 5					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)					
☐ Statinless Steel ☐ Statinless Steel ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 5.4					
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.					
From					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
What is the nearest source of possible cont				1 ('6 1 1)	
	nes Pit privy Livestoo			her (specify below)	
Sewer lines					
Direction from well		ce from well			
FROM TO LITHOLOG		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	·	UGGING INTERVALS	
0 14 5:1/4 F 5a		TO DITTIOL 2	<u> </u>	OGENO ENTERVIED	
14 25 Gr Elay	10				
	Laborator C.C.				
111 TO PORT CON	layers clay				
41 52 Br + Gr Clay	hander alle de la constant de la con				
Ja 67 1 34.12	1.			·	
73 85 F Sand -Sm	12 04				
	layers Clay				
85 92 Br c/ay					
7 CONTRACTOR'S OR LANDOWNER	D'S CEDTIFICATION. This	ater well was 🗖 const	moted Transport	nucted or nlyseed	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No. 1.4.7 This Water Well Record was completed on (mo/day/year)					
under the business name of	r //////	hy (signature)	hay year)	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212					