WATER WELL RECORD	Form WW	C-5	Division of Wate	r Resources App. No	47,463	
1 LOCATION OF WATER WELL:	Fraction	S			Range Number	
County: Reno	1/4 NE 1/4 SE 1/4	4 NW 1/4	11	T 22 S		
Street/Rural Address of Well Location; if unknown, distance & direction			lobal Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
From Buhler, Ks. 2 E 3/4N ESR			Longitude: (in decimal degrees)			
Troin Banks, No. 2 2 57 W 25 K		l I	Elevation:			
2 WATER WELL OWNER: Don Neufeldt			Datum: WGS 84, NAD 83, NAD 27			
- Boll Hodicial		<u> </u>	Collection Method: GPS unit (Make/Model:)			
City Co. 1]	Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Moundridge, Ks. 67107			Est. Accuracy:			
3 LOCATE WELL						
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL .1					
SECTION BOX: Depth(s) Ground	OX: Depth(s) Groundwater Encountered (1)					
N WELL'S STATE	WELL'S STATIC WATER LEVEL. 56 ft. below land surface measured on mo/day/yr. 5-7-2012					
	Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELDgpm. Well water was						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes V No						
S If yes, mo/day/yr sample was submitted						
water weir distincted: 18 1es 140						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .16 in. to .100 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface. 24 in., Weight SCH 40 lbs/ft., Wall thickness or gauge No500						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel	PVC		ier (Specify)	•••••		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)						
SCREEN-PERFORATED INTERVALS: From. 100 ft. to140 ft., From ft. to						
From						
GRAVEL PACK INTERVALS: From 140 ft. to .20 ft., From ft. to ft.						
From						
6 GROUT MATERIAL: Neat ceme	nt Cement grout	Bentonite	Other		•••••	
Grout Intervals: From .20 ft. to	0 ft., From	ft. t	o ft.,	From	ft. toft.	
What is the nearest source of possible contamination:						
Septic tank Lateral lin	es Pit privy II I Sewage lagoon IF	Livestock pens	☐ Insecticide ☐ Abandoned		r (specify below)	
☐ Watertight sewer lines ☐ Seepage p		Fertilizer storag				
Direction from well					•••••	
FROM TO LITHOLOG		ROM TO			GGING INTERVALS	
0 3 Top soil				,,		
3 10 Brown clay						
10 40 Tan clay						
40 60 Tan clay-tight						
60 75 Tan clay -soft and heav	v					
75 95 Gray clay						
95 96 Caliche						
96 103 Tan clay						
103 115 Tan clay-fine sand mix						
115 140 Small to fine sand						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .5-7-2012 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 5-25-2012						
under the business name of Rosencrantz	-Bemis Ent.	b	y (signature) l	Lie Dune	d	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html .						
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy						

47,463