		ECORD		n wwc-				ources; App. N			
		ATER WELL: eno		NW 1/	SW 1/2	Section N	umber	Township	Number	Range Number	
Distance located v	and direction f vithin city? 218	rom nearest town N. West St., Buhle	or city stre	et address o	of well if G	Latitude:	N 38	.13660°	ecimal degr	R 4 vrees, min. of 4 digits	
2 WAT	ER WELL O	WNER: KDHE						7.77185° : 1483.78; T	OC: 1483	3.44	
RR#, St. Address, Box # : 1000 SW Jackson Blvd City, State, ZIP Code : Topeka KS						Datum: WGS84 Data Collection Method: legal survey					
3 LOC	ATE WELL'S	4 DEPTH OF	COMPLI	ETED WE	LL 28.11	Data Coll	ection iv	ft.	ai sui vey		
	ATON					MW11					
1	H AN "X" IN	Depth(s) Groun	ndwater En	countered 1			ft. 2		ft. 3	ft ay/yr 3/12/14	
SEC	TION BOX:	WELL'S STAT	ΓΙC WATE	R LEVEL	14.73 ft	below la	nd surfa	ce measured	d on mo/d	ay/yr 3/12/14	
ļ	N	Pump	test data:	Well wate	r was	ft.	after	hoı	ırs pumpi	ng gpn	
		Est. Yield	gpm:	Well wate	r was		after	hou	ırs pumpi	ng gpn	
-N	NNE	WELL WATE								njection well er (Specify below	
w	- - - 	2 Irrigation 4	Industrial	7 Domesti	c (lawn & g	arden) (10)Mon	itoring well	12 041	er (specify below)	
	v — s⊨ —				`	, ,					
					sample submitted to Department? Yes No X; If yes, mo/day/yrs						
	S									No X	
5 TYPI	E OF CASING	USED: 5	Wrought I	ron	8 Concre	e tile	CASI	NG JOINTS	S: Glued	Clamped	
1 St	eel 3 1	RMP (SR) 6	Asbestos-C	Cement	9 Other (s	specify be	low)		Welde	d	
(2)P	VC 4 /	ABS 7	Fiberglass	n Di-				D:	Thread	led X	
Cosing be	sing diameter	2 in. to	13.11 1	t., Dia		n. to	π.,	Dia Lithickness o	ın.	ted X to ft	
TYPE O	F SCREEN OR	PERFORATION	IMATERI.	AT:		108./	it. wai	i mickness c	r gauge r	NO	
1 St	eel 3 Stainles	ss steel 5 Fib	erglass	(7) PVC	9 A	BS		11 Other (specify)		
2 B	ass 4 Galvan	ized steel 6 Co	ncrete tile	8 RM (SF	R) 10 A	sbestos-Co	ement	12 None u	sed (oper	n hole)	
SCREEN 1 Co	OR PERFORA	ATION OPENING	JS ARE: 5 Gau	ze wranned	7 Torch	cut	9 Drille	ed holes	11 None	(open hole)	
2 Lo	ouvered shutter	4 Key punche	d 6 Wir	e wrapped	8 Saw (Cut 1	0 Other	(specify)		(open hole)	
SCREEN	-PERFORATE	D INTERVALS:	From	13.11	ft. to	28.11	. ft. Fro	om	ft. to	ft	
			From		ft. to		ft. Fro	m	ft. to) ft	
GF	CAVELPACK	INTERVALS:	From	11	It. to	28.48	. ft. Fro)m 	It. to	ft	
		1 11								ft	
5 GRO	UT MATERIA	L: 1 Neat cem	ent 2 Ce	ment grout	(3 Bento	nite (4	Other	Concrete: ()-1 feet		
What is th	ervais From	e of possible con	II II.	From	π.	to	т.	rrom		ft. toft.	
	tic tank	4 Lateral lin			10 Livesto	k pens	13 Inse	cticide Stora	nge	16 Other (specify	
	ver lines	5 Cess pool		ge lagoon (ndoned water		below)	
		ines 6 Seepage p	it 9 Feedy					well/ gas we	11		
Direction	from well? N	A			How many	feet? NA					
FROM	TO		OGIC LO		FROM	TO		PLUGGI	NG INTE	RVALS	
0	28.48 Gr	ass on top; Brov	vn silty cla	<u>y</u>	 						
						-					
	<u> </u>										
							Flushm	ount waive	r from B	ow	
CONT	O A COMO DAG O	D. I. AMBOUNT	DIG CERT	EXELO (EST			-				
		as completed on (n			JN: This w 1/14	ater well w	as (L) co	nstructed (2)	reconstruc	cted, or (3) plugged nowledge and belief	
		tor's License No.				ord was co	ompleted	or (morday/s	(a) 3/	18/14	
inder the b	usiness name of	Larsen & Asso	ciates, Inc.		by (signatu	re)					
NSTRUCT	IONS: Please fill	in blanks or circle the	correct answer	ers. Send top t	hree copies to	Kansas Der	partment	Halth and E	nvironment,	Bureau of Water, ER and retain one for	
our records	Fee of \$5.00 for a	cson St., Suite 420, 10 Each <u>constructed</u> well	Visit us at h	ttp://www.kdh	eks.gov/water	3-2 3 0-3322. well.	sena on	ON WIEK A	ELL UWN	ER and retain one for	