KOLAR Document ID: 1377373

	WELL R			WWC-5		vision of Wat							
		Correction		ge in Well Use		ources App.			Well ID				
1 LOCATION OF WATER WELL: Fraction					ction Numb	1 0							
County: 1/4 1/4 1/4							$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
						irection from nearest town or intersection): If at owner's address, check here:							
Address:							rection non nearest town of intersection). If at owner's address, eneck here.						
Address:													
City:		1	State:	ZIP:		1							
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL:	f	t 5 Latif	·ahut			(decimal degrees)			
	WITH "A" IN Donth(s) Groundwater Encountered: 1)												
	SECTION BOX: N $2) \dots ft. 3) \dots ft. or 4) \square$												
-	WELL'S STATIC WATER LEVEL:					Source		Latitude/Longitude					
				-yr)		GPS (unit make/model:)				
X NW	NE	Pump test d		·yr)			WAAS enabled?		(o)				
	Е	-	hours				Survey 🗌 Topogra						
W		untertit	Well v			Online Mapper:							
SW	SE	after	hours	gpm									
		Estimated Y	'ield:		6 Elevation:ft. Ground Level TOC								
	S	Bore Hole I			Source: Land Survey GPS Topographic Map								
1 mile in. to ft.													
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 													
	1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?												
	□ Lawn & Garden												
	□ Livestock 8. □ Monitoring: well ID							al: how many bores					
	2. Irrigation 9. Environmental Remediation: well ID.					a) C	a) Closed Loop 🔲 Horizontal 🗌 Vertical						
3. 🗌 Feedlo			Air Sparge	-	Extraction		b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):													
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? Yes No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)													
	Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.													
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest sou			on: Lateral Line	es 🗌 Pit Privy		Livestock P	and	🗆 Insectio	cide Storage				
Sewer 1			Cess Pool	Sewage La		Fuel Storage			oned Water				
	ight Sewer Lir		Seepage Pit			Fertilizer St			ll/Gas Well				
□ Other (Specify)													
Direction from well? ft.													
10 FROM	TO	I	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS			
					_								
	<u>├</u>												
					Notes:	I	L						
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my ju	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.			
				This Wa									
under the b	usiness name	e of	WATED	/ELL OWNER and retain	one for your ra	orde Fea of ¢	5 00 f	or each constructed	 .11	<u></u>			
KS Departm	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
			Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										