


1 LOCATION OF WATER WELL: County: Reno Fraction: NE 1/4 NE 1/4 NE 1/4 Section Number: 31 Township Number: T 22 S Range Number: R 5 E

Distance and direction from nearest town or city street address of well if located within city?  
43rd & Lorraine SW corner

2 WATER WELL OWNER: Lenore McNett  
 RR#, St. Address, Box #: 4205 N. Lorraine Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Hutchinson KS Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 40 ft. ELEVATION:  
 Depth(s) Groundwater Encountered: 18 ft. 2. 9-5-02 ft. 3. 8-20-02 ft.  
 WELL'S STATIC WATER LEVEL: 18 ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was 30 ft. after 4 hours pumping 15 gpm  
 Est. Yield 15 gpm: Well water was 40 ft. after 8 hours pumping 15 gpm  
 Bore Hole Diameter: 12 in. to 40 ft., and     in. to     ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic     3 Feedlot     6 Oil field water supply     9 Dewatering     12 Other (Specify below)  
 2 Irrigation     4 Industrial     7 Lawn and garden only     10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes     No    ; If yes, mo/day/yr sample was submitted      
 Water Well Disinfected:  Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel     3 RMP (SR)     6 Asbestos-Cement     9 Other (specify below)  
 2 PVC     4 ABS     7 Fiberglass  
 Blank casing diameter: 5 in. to 30 ft., Dia.     in. to     ft., Dia.     in. to     ft.  
 Casing height above land surface: 14 in., weight 50R lbs./ft. Wall thickness or gauge No. 26  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel     3 Stainless steel     5 Fiberglass     8 RMP (SR)     11 Other (specify) PVC  
 2 Brass     4 Galvanized steel     6 Concrete tile     9 ABS     12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot     3 Mill slot     8 Saw cut     11 None (open hole)  
 2 Louvered shutter     4 Key punched     9 Drilled holes  
 7 Torch cut     10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 30 ft. to 40 ft., From     ft. to     ft., From     ft. to     ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 40 ft., From     ft. to     ft., From     ft. to     ft.

6 GROUT MATERIAL:  1 Neat cement     2 Cement grout     3 Bentonite     4 Other  
 Grout Intervals: From 20 ft. to 20 ft., From     ft. to     ft., From     ft. to     ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank     4 Lateral lines     7 Pit privy     10 Livestock pens     14 Abandoned water well  
 2 Sewer lines     5 Cess pool     8 Sewage lagoon     11 Fuel storage     15 Oil well/Gas well  
 3 Watertight sewer lines     6 Seepage pit     9 Feedyard     12 Fertilizer storage     16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? West How many feet? 80

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	7	Sand			
7	18	Clay			
18	25	Sand and Clay			
25	40	Sand Medium			
40		Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  (1) constructed,  (2) reconstructed, or  (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-5-02 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 440 This Water Well Record was completed on (mo/day/yr) 9-12-02 under the business name of Carl Vincent Serv. by (signature) [Signature]

OFFICE USE ONLY  
T  
R  
EW  
SEC.  
1/4  
1/4  
1/4