

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Reno	SE 1/4 NW 1/4 SW 1/4	6	T 22 S	R 5 E

Distance and direction from nearest town or city street address of well if located within city?
4 mi N of Hutchinson - 9900 N Plum

2 WATER WELL OWNER: **Justine Sicksripe**
 RR#, St. Address, Box # : **9900 N Plum**
 City, State, ZIP Code : **Hutch, KS 67502**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

	4 DEPTH OF COMPLETED WELL 82 ft. ELEVATION: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 14 ft. below land surface measured on mo/day/yr 4-13-05 Pump test data: Well water was 41 ft. after 2 hours pumping 2.5 gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 10 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No
--	--

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)
		7 Fiberglass	CASING JOINTS: Glued X Clamped Welded Threaded

Blank casing diameter **5** in. to **5.2** ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface **12** in., weight **2.29** lbs./ft. Wall thickness or gauge No. **160**
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass **7** PVC 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify)
 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped **8** Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From **52** ft. to **82** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **23** ft. to **35** ft., From ft. to ft.
 From **40** ft. to **85** ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout **3** Bentonite 4 Other
 Grout Intervals: From **3** ft. to **23** ft., From **35** ft. to **40** ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage **16** Other (specify below)
 13 Insecticide storage **open field**
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	Fine Sand			
10	18	F Sand + Clay Silt			
18	27	F Sand + layers Br Clay			
27	52	Br + Cr Clay			
52	65	F Sand			
65	74	Rocky Br Clay + layers F Sand			
74	80	F Sand			
80	85	Br Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **1** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **4-13-05** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **447** This Water Well Record was completed on (mo/day/yr) **4-10-05** under the business name of **Miller Drilling** by (signature) **E Miller**