	ATER WELL RECORD	Form WWC-5	KSA 82a-1			
LOCATION OF WATER WELL:	Fraction 5 1/2 V	N 14 N W 14	Sect	Sn Number	Township Num	nber Range Number
Distance and direction from nearest town or city street address of well if located within city?						
	00 N	Hamp	ton	Huto	L KS	67502
2 WATER WELL OWNER:	Dave	Schmick	<u> </u>			
RR#, St. Address, Box # : City, State, ZIP Code :	Hutchins	Hamptor	6250	2	Board of Agric Application No	culture, Division of Water Resources umber:
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL ft. ELEVATION:						
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1						
	Pump te	st data: Well water	was l .lo	5 ft. a	fter	hours pumping2.5 gpm
- Xw NE	WELL WATER TO E		vas ublic water s		tter 8 Air conditioning	. hours pumping gpm 11 Injection well
	1 Domestic	3 Feedlot 6 Oi	I field water	supply	9 Dewatering	12 Other (Specify below)
W E 2 Irrigation 4 Industrial 77 omestic (lawn & garden) 10 Monitoring well						
- SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mg/day/yrs sample was sub-						
was a chemical/bacteriological sample submitted to Department? res Noz. 1, if yes, morday/yrs sample was s was a chemical/bacteriological sample submitted to Department? res Noz. 1, if yes, morday/yrs sample was s						
5 TYPE OF BLANK CASING USED	5 V	Vrought iron	8 Concre	te tile	CASING JOIN	TS: Glued Clamped
Steel 3 RMP (S	,	sbestos-Cement	,	specify below)		Welded
2 PVC 4 ABS Blank casing diameter		iberglass ft Dia			ft Dia	Threaded
Casing height above land surface	1.1	in., weight	2 °N		lbs./ft. Wall thickness	s or guage No. 1.60
TYPE OF SCREEN OR PERFORATION	•	, ,	(T)PV			stos-Cement
1 Steel 3 Stainles		Fiberglass Concrete tile	8 RM 9 ABS	P (SR)		(Specify)used (open hole)
2 0.400				•		` .
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 aw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)ft.						
SCREEN-PERFORATED INTERVALS		ft. to	>	ft., From		ft. toft.
GRAVEL PACK INTERVAL		ft. to ft. to	1.7	ft., From	•••••	ft. to
ar weet not in the total	•	-				ft. toft.
6 GROUT MATERIAL: 1 Ne	at cement , 2	! Cement grout	3 Bento	onito 4	Othor	
Grout Intervals: From	11-	•				ft. toft.
What is the nearest source of possible				10 Livesto		14 Abandoned water well
1	eral lines	7 Pit privy		11 Fuel s	torage	15 Oil well/Gas well
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)
Olivection from well? Seepage pit 9 Feedyard 13 Insecticide storage How many feet?						
Direction from well? FROM TO	LITHOLOGIC LO	<u> </u>	FROM	TO How man		GGING INTERVALS
0 4 300	r Dist		7110111		1 200	Jana III Envice
4 10 Dict	Sandn					
10 16 Sim	Sand					
16 25 Grav	U Small					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged updar my jurisdiction and was						
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's Licence No						
under the business name of \(\subseteq \).	Ison Was	ter Syst	2	by (signature)	_ Willen
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your						
records. Fee of \$5.00 for each constructed well.						