WATER WELL RECORD	Form WWC-5	Division of Water	Resources App. No	o.
1 LOCATION OF WATER WELL:	Fraction		<del></del>	Range Number
County: Reno	1/4 NW 1/4 NE 1/4 SW/4	34	TZZS	R 5 □E XW
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:				
from nearest town or intersection: If at o	Latitude: (in decimal degrees)			
	Longitude: (in decimal degrees)			
		Elevation:	prompt pr	
2 WATER WELL OWNER: 540	hzad Hasan	Datum: WGS 84	I, ∐ NAD 83, ∐	NAD 27
RR#, Street Address, Box #: 3929 Spy 9/ASS Dr City, State, ZIP Code: Hutch, KS 67502		Collection Method:  GPS unit (Make/Model:)		
City, State, ZIP Code : Water	7 37791 63 2			c Map,   Land Survey
Chij, Simile, Zin Could I Aller	19/N3 8/3 CA	Est. Accuracy: $\square$ <		
3 LOCATE WELL				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL				
SECTION BOX: Depth(s) Groundwater Encountered (1)				
N WELL'S STATIC WATER LEVEL. 35ft. below land surface measured on mo/day/yr				
Pump test data: Well water was				
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm  Bore Hole Diameter				
WELL WATER TO BE LIGED AS. D Bubble water sweets. D Coothermal. D Injection well				
Domestic Decellet Doil field water supply Developing Dother (Specify below)				
SW -   SE -     Domestic   Feedlot   On field water supply   Dewatering   Other (Specify below)				
Was a chemical/bacteriological sample submitted to Department? Yes No				
S If yes, mo/day/yr sample was submitted				
1 mile  Water well disinfected? ► Yes □ No				
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: A Glued Clamped Welded Threaded				
Casing diameter				
Casing height above land surface				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped Torch cut Drilled holes None (open hole)				
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Forch cut ☐ Diffied notes ☐ Notice (open note)				
SCREEN-PERFORATED INTERVALS: From				
From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From				
From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other				
Grout Intervals: From ft. to				
What is the nearest source of possible contamination:				
☐ Septic tank       ☐ Lateral lines       ☐ Pit privy       ☐ Livestock pens       ☐ Insecticide storage       ☐ Other (specify below)         ☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well				
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well				
Direction from well				
FROM TO LITHOLOG				IGGING INTERVALS
D 22 F Sandy S.	· 17			
22 43 Sandy Ar + 6	r Clau			
43 65 F sand + clay	Mix			
43 65 F sand + Clay , 65 86 F Sand				
86 90 Br+Gr Clay				
				water
- CONTRACTORIS OR LANDOWNER	NG CERTIFICATION TI	11 52		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year)				
under my jurisdiction and was completed on (mo/day/year)				
Kansas Water Well Contractor's License No. 44.7 This Water Well Record was completed on (mo/day/year) 5.5.7 under the business name of				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212				
NOA 020-1212				