WATE	R WEI	L RECORD	Form W	WC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction			r Township No.		
County: Reno			1/4 NW 1/4 SU	υ¼ 5 ω ½	33		R 5 □E XW	
		ddress of Well Location; i		Global Position	ing System (GPS)	nformation:		
from nearest town or intersection: If at owner's address, check here					Latitude:3.8.089.70			
					Longitude: .09.7.88.46.0 (in decimal degrees) Elevation:			
					Datum: WG	S 84 SZ T NATI 83 F	 7 nad 27	
2 WATER WELL OWNER: Ryan Duft RR#, Street Address, Box #: 2504 Lundman Dr					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #:					GPS unit (Make/Model:)			
City,	, State, Z				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, state, 211 code Hutch, Ks 67502 Est. Accuracy: <3 m, 273-5 m, >15 m								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
1 -	H AN "A FION BO	Y: Depth(s) Ground	water Encountered	(1)	ft (2)	ft.	(3) ft.	
SECI	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water was60ft. after							
EST_VIELD 20 gpm. Well water was								
W Bore Hole Diameter 9.5 in. to 3.8 ft., and 5.8 in. to 6.9 ft.								
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well								
SW SE Domestic								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water went distincted. 22 Tes								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface. /2 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel Open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes Note (open hole)								
Louvered shutter								
SCREEN-PERFORATED INTERVALS: From 31. ft. to 36. ft., From ft. to ft. From ft. to ft.								
GRAVEL PACK INTERVALS: From 22 m. ft. to								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well ☐ Distance from well Distance from well ☐ Distance from well Dist								
FROM	TO	LITHOLOG		FROM			UGGING INTERVALS	
O	24	Gr Clay	IC LOO	TROM	TO ETTIO	. LOG (cont.) <u>or</u> 1 L	OGGING INTERVALS	
24	36	Sand + Sm	ana wal					
36	64	Shale	-raver			· · · · · · · · · · · · · · · · · · ·		
50	-	Julie						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
under my jurisdiction and was completed on (mo/day/year) . 67								
Kansas Water Well Contractor's License No. 4.7. This Water Well Record was completed on (mo/day/year)								
under th	e busine	ss name of	r Drilling		. by (signature)	Cy Will	2	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								