

WATER WELL R		WWC-5		1010		ion of Wate					
Original Record		e in Well U	Jse			rces App. N		T 1: N 1	Well ID		
1 LOCATION OF W.	ATER WELL:	Fraction	1/ 1	, 1/	Secti	ion Numbe	r	Township Numb		nge Number	
County:		1/4 First:	1/4 1/		. D	1 4 11	1	T S	R	□ E □ W	
2 WELL OWNER: La Business:	r Rural Address where well is located (if unknown, distance and										
Address:	direction from nearest town or intersection): If at owner's address, check here:										
Address:											
City:	State:	ZIP:									
3 LOCATE WELL	4 DEPTH OF COM	IDI ETEI	WEII.		fŧ	5 Totitu	. .			(1 ' 11)	
WITH "X" IN	Depth(s) Groundwater I										
SECTION BOX:	2) ft. 3) ft., or 4) \square D										
N	WELL'S STATIC WATER LEVEL:										
	□ below land surface, measured on (mo-day-yr)							unit make/model:)	
NW NE						(WAAS enabled? \(\subseteq \text{ Yes} \subseteq \text{ No)}					
	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map						
W E	after hours pumpinggpr					Online Mapper:					
1 SW SE	Well water was ft. after hours pumping gp										
	Estimated Yield:gpm				6 Elevation :ft. ☐ Ground Level ☐ TOC						
S	Bore Hole Diameter: in. to ft										
mile						Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:	5. ☐ Public Wa	ter Supply:	well ID			10. ☐ Oi	l Fie	ld Water Supply: 16	ease		
☐ Household	6. ☐ Dewatering: how many wells?				11. Test Hole: well ID						
Lawn & Garden											
Livestock	8. Monitoring: well ID										
2. Irrigation	9. Environmental Remediation: well ID										
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparge ☐ Recovery		Soil Vapor	Extraction	1						
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
Water well disinfected?											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter ft., Diameter ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft., From ft.											
GRAVEL PACK INTERVALS: From ft. to ft. to											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From	ft. to	. ft., From	• • • • • • • • • • • • • • • • • • • •	. ft. to	• • • • • • • • •	ft., From	• • • • • •	ft. to	ft.		
Nearest source of possible Septic Tank	contamination: Lateral Line] Pit Privy		Пτ	ivestock Per	ne	□ Insecti	cide Storage	3	
Sewer Lines	☐ Cess Pool] Sewage L	agoon		uel Storage			oned Water		
☐ Watertight Sewer Lin			Feedyard			ertilizer Sto			ll/Gas Well		
☐ Other (Specify)											
Direction from well?		Dista	ance from v	vell?							
10 FROM TO	LITHOLOG	GIC LOG		FRO	M	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				% T.= 4 ·							
	Notes:										
11 CONTRACTOR'S	OD I ANDOMNED!	СЕВТП	TC A TIO	N. Thio-	water :	wall was F	7.00	netructed Dress	netructad	or nlugged	
under my jurisdiction an	d was completed on (m	o-dav-ves	erCATIO. ar)	14. IIIIS /	water and th	wen was L	_ co s tru	e to the best of m	nisu ucted, v knowled	or prugged ge and helief	
under my jurisdiction an Kansas Water Well Con	tractor's License No		This W	ater Well	Reco	rd was con	nple	ted on (mo-day-v	ear)	50 una bener.	
under the business name	of									•••••	
	Send one copy to WATER W									705 206 2555	
KS Department of Health at	nd Environment, Bureau of W	ater, Geolo	gy Section, 1	uuu SW Jac	ekson S	t., Suite 420, '	Tope	ка, K ansas 66612-136	//. Telephon	e /85-296-3565.	