WATER WELL RECORD		Form WWC-5		Di	ivision of Wate	er Resources App. N	0.	
1 LOCATION OF WATER WELL:		action 1/4 SE 1/4NV	1110	Secti	on Number	Township No.	Range Number	
County: Reno					<u> </u>	T 2 S	R 5 DE XIW	
Street/Rural Address of Well Location; i						g System (GPS) in		
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
				Eleva	Elevation:			
2 WATER WELL OWNER: LAWYENCE JOTA					Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 7 M & 394					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code Hutchinson, KS 67502								
A TO AN ADDITION OF THE PARTY OF			Annual Contraction	_ <u>Est. A</u>	Accuracy: <	<3 m, 3-5 m,	5-15 m,	
WITH AN "X" IN 4 DI	PTH OF CO	MPLETED WEL	L 3.3.		ft.			
SECTION BOX: Depti	Depth(s) Groundwater Encountered (1)tt. (2)tt. (3)							
N WEL	WELL SSIATIC WATER LEVEL							
Pump test data: Well water was ft. after hours pumping. EST. YIELD gpm. Well water was ft. after hours pumping.							ping gpm	
Well water wasft. after							.ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
CASING JOINTS: Glued Glamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight Meldel Meldel Meldel Meldel Threaded Casing height above land surface in., Weight Meldel								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.								
SUKEEN-PEKFUKATED INTEKVALS: From						to ft.		
GRAVEL PACK INTERVALS: From							to ft.	
From ft., to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines		Sewage lagoon	☐ Fuel stora	ge	Abandone	d water well	,	
Watertight sewer lines. [Direction from well.		Feedyard	Fertilizer		ell . 69 0			
	ITHOLOGIC I		FROM	TO	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		JGGING INTERVALS	
0 8 Black	Top, 5=	> ()						
8 12 Block	Sandy	<u> </u>					The state of the s	
12 16 Sand	20 000	<u> </u>		******				
16 33 Peass	x gi a	001						
				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
				***************************************				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, $\Box$ reconstructed, or $\Box$ plugged								
under my jurisdiction and was completed on (mo/day/year) \ \\\\\\\\\								
Kansas Water Well Contractor's License No								
under the business name of London State of London (signature) London (								
(white, blue, pink) to Kansas Departm	ent of Health and	Environment, Bureau	of Water, Geo	logy Secti	on, 1000 SW Ja	ackson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one of http://www.kdheks.gov/waterwell/index		WELL OWNER and	retain one for	your reco	rds. Include <u>fe</u>	<u>ee</u> of \$5.00 for each <u>c</u>	constructed well. Visit us at	
KSA 82a-1212								