KOLAR Document ID: 1416236

	WELL R			WWC-5		ivision of Wa					
		Correction		ge in Well Use		sources App.			Well ID		
1 LOCATION OF WATER WELL: Fraction					ection Numb	1 0					
County: 1/4 1/4 1/4							$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
						irection from nearest town or intersection): If at owner's address, check here:					
Address:					direction from	nection non nearest town of intersection). If at owner's address, eneck here.					
Address:											
City:		1	State:	ZIP:							
3 LOCAT		4 DEPTH	OF CON	IPLETED WELL:		ft. 5 Lati	tude	:		(decimal degrees)	
	WITH "X" IN SECTION BOX:										
	SECTION BOX: 2) ft. 3) ft., or 4) \Box] WGS 84 🛛 NAI		AD 27	
	WELL'S STATIC WATER LEVEL:						Source for Latitude/Longitude:				
				-yr) -yr)			(unit make/model:				
NW	NE	Pump test da					WAAS enabled?		0)		
w	E		hours				Survey				
			Well w	ft.							
SW	SE		after hours pumping			6 Flor	otion	.	C crown d		
		Estimated Y		C 1		6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
	S nilel	Bore Hole I			<u>.50u</u>	$\Box Other \dots \Box Other \dots Other 0 Other $					
Image:											
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease											
	□ Household										
	Lawn & Garden 7. Aquifer Recharge: well ID										
	Livestock 8. Monitoring: well ID							hal: how many bores			
	2. Irrigation9. Environmental Remediation: well ID .						a) Closed Loop 🔲 Horizontal 🔲 Vertical				
	3. Feedlot Soil Vapor					b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
\Box Continuous Slot \Box Mill Slot \Box Gauze Wrapped \Box Torch Cut \Box Drilled Holes \Box Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Nearest source of possible contamination:											
Septic '			Lateral Line			Livestock F			cide Storage		
Sewer]			Cess Pool	□ Sewage La		Fuel Storag			oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO		ITHOLOG		FROM	ТО		THO. LOG (cont.) of		G INTERVALS	
	-	-		-		-					
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
				no-day-year)							
Kansas Wa	ter Well Con	tractor's Lice	ense No	This W	ater Well Re	ecord was co	omple	eted on (mo-day-y	ear)		
under the b	usiness name	<u>e of</u>				<u></u>	-				
KS Departm				ELL OWNER and retain						785-296-3565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											