KOLAR Document ID: 1523233

	WELL R	Correction		WWC-5 ge in Well Use		ivision of Wa sources App.			Well ID			
		ATER WEI		Fraction		ection Numl		Township Numb		ge Number		
County:				1/4 1/4 1	/4 1/4	$ 1/4 $ T S R \square				□ E □ W		
Business: d Address: Address:						Street or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
City: 3 LOCAT			State:	ZIP:								
WITH "			IPLETED WELL:				:					
	ON BOX:		Depth(s) Groundwater Encountered: 1) 2)				Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27					
	N	WELL'S ST			Source for Latitude/Longitude:							
			y-yr)	🗌	GPS (unit make/model:)							
NW	NE		D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w	E	-	after hours pumping				Online Mapper:					
SW	CW CD			vater was								
afterho Estimated Yield:				s pumpinggpm	6 Elev	6 Elevation:ft. Ground Level TOC						
	S		Bore Hole Diameter: in. to ft.				Source: Land Survey GPS Topographic Map					
	nile		in. to ft.				□ Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
Household 6. Dewatering: ho					v many wells?			11. Test Hole: well ID				
				echarge: well ID								
	□ Livestock 8. □ Monitoring: well I 2. □ Irrigation 9. Environmental Remed											
3. Feedlot Air Sparge) Open Loop 🗌 Surface Discharge 📋 Inj. of Water					
4. \Box Industrial \Box Recovery \Box Injection13. \Box Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)												
Steel Stamess Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
			Lateral Line			Livestock I	Pens	☐ Insectic	ide Storage			
Sewer			Cess Pool	□ Sewage L		Fuel Storag			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well? ft.												
10 FROM	TO	Ι	ITHOLO	GIC LOG	FROM	TO	LIT	THO. LOG (cont.) or	PLUGGIN	G INTERVALS		
							-					
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
11 CONT	KACTOR'S urisdiction a	S OR LAND	JWNER's	S CERTIFICATIO	N: This wa	er well was	C(l is tr	onstructed, \square reco	nstructed,	or \square plugged		
				no-day-year) This W								
		e of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
		eks.gov/waterwel		. ,			r			SA 82a-1212		