## KOLAR Document ID: 1596057

	WELL R			WWC-5		vision of Wat						
		Correction		ge in Well Use		sources App. 1			Well ID			
1 LOCATION OF WATER WELL:       Fraction         County:       1/4						±				ige Number		
county.						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
						irection from nearest town or intersection): If at owner's address, check here:						
Address:					uncetion non							
Address:			<b>G</b>	700								
City:			State:	ZIP:								
<b>3</b> LOCATE WELL WITH "X" IN <b>4</b> DEPTH OF COMPLETED WELL:												
	SECTION BOX: Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4)					— • <del>-</del> - • • • • • • • • • • • • • • • • • •						
				$TER LEVEL: \dots nt., or 4) $		Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
						GPS (unit make/model:)						
NW	NE			yr)			WAAS enabled?					
		Pump test d				and S	Survey 🗌 Topogra	aphic Map	-			
W	E	after	hours			Online Mapper:						
swX-	SE	after	Well water was ft.           after hours pumping									
		Estimated Yield:gpm			or	6 Elevation:ft.  Ground Level  TOC						
	S	Bore Hole Diameter: in. to			ft. and	Sourc	Source:  Land Survey  GPS  Topographic Map					
1 r				in. to	ft.	□ Other						
7 WELL WATER TO BE USED AS:												
	1. Domestic:       5. □ Public Water Supply: well ID         □ Household       6. □ Dewatering: how many wells?											
		7. Aquifer Recharge: well ID										
				g: well ID				othermal: how many bores?				
	2.  Irrigation 9. Environmental Remediation: well ID					a) Closed Loop 🗌 Horizontal 🗌 Vertical						
3. Feedlot Soil Vap					Extraction							
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? $\Box$ Yes $\Box$ No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass       Galvanized Steel       None used (open hole)         SCREEN OR PERFORATION OPENINGS ARE:       Image: Comparison of the sector of												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.												
9 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other												
				ft., From			۱	ft. to	ft.			
Septic		e contaminati	on: No Lateral Line	o potential source of con		Ithin 200 ft. ] Livestock Pe	one	🗆 Insectio	cide Storage			
			Cess Pool	Sewage La		Fuel Storage			oned Water			
U Watert	ight Sewer Lir	nes 🔲 S	Seepage Pit	☐ Feedyard		Fertilizer Sto			ll/Gas Well			
Other (Specify) Direction from well? ft.												
10 FROM	TO	1	ITHOLOG	GIC LUG	FROM	ТО	LII	HO. LOG (cont.) or	PLUGGIN	J INTERVALS		
							l					
					Notes:							
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my in	urisdiction a	or LANDO	leted on (m	o-day-year)	and and	this record	1 co	ie to the best of m	v knowled	ge and belief		
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ter Well Re	cord was con	mple	ted on (mo-day-ye	ear)			
	usiness name	e of										
KS Departr				ELL OWNER and retain of Vater Geology Section 10						785-296-3565		
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											