		WA	ATER WELL RECO	ORD Form WWC	C-5 KSA 8	2a-1212 II	D No			
_	ON OF W RENU	ATER WELL:	Fraction SW1/4	A/5-11 A	Sec	tion Number	1	nip Number	Range Number	<b>~</b>
Distance a	nd direction	on from nearest t	town or city street	address of well if loo	cated within cit	<u>∤3</u> tv?		Au	TEMINSON KS	
910 the	NEN	I NICKERS	od Bluet S	outh of Roy	LSMITH	RO. S.	outh of H	eronu E	Kotic ANIMAC	-
2 WATER			ISAS GAS							
RR#, St. A	ddress, B	ox # : 110	W( 2 ND	•					Division of Water Resor	ırces
City, State	ZIP Code	· Hu	TCHINSON	KS 6750				tion Number:		
		OCATION WITH	4 DEPTH OF C	OMPLETED WELL.	56	ft. ELE\	VATION:			
AN "X"	IN SECTION	ON BOX:	Depth(s) Ground	water Encountered	101, holo		ft. 2			•
<b>A</b>	!	į.	Pumn	test data: Well wa	ter was		ace measured o	hours	pumping	anm
	- NW	NE		gpm: Well wa	ter was	ft	. after	hours	oumpina	apm
	ļ		Bore Hole Diame	ter <b>1 . 4</b> in.	to 56'		., and		in. to	ft.
® w -	1	<u>'</u>	WELL WATER TO	O BE USED AS: 5	Public water	supply	8 Air condition		njection well	
Ī	i	i	1 Domestic		Oil field water		9 Dewatering		Other (Specify below)	
	- SW	SE	2 Irrigation	4 Industrial 7	Domestic (law	n & garden)	10 Monitoring v	veil . C. C. V	ENT WELL	• • •
<u> </u>				acteriological sample s	submitted to Dep			-	no/day/yrs sample was	sub-
ETVDEC		CASING USED:	mitted	Wrought iron	8 Concre		ter Well Disinfe		ed Clamped	
ع ۱۲۳ و د 1 Stee		3 RMP (S		S Asbestos-Cement		ste the (specify be			ded Clamped	
2 PVC		4 ABS	•	' Fiberglass				,	aded	
Blank cas	ing diame	ter !/2		, -					in. to	ft
Casing he	eight abov	e land surface	<i>1 . 8</i> in.						10. 40	
			TION MATERIAL:		7 PV		10	Asbestos-cen	nent L Plastic	
1 Steel 3 Stainless steel 5 Fiberglass						8 RMP (SR) 11 Other (specify) . 7				
2 Brass 4 Galvanized steel 6 Concrete tile						>	8 Saw cut	1	pen noie) 11 None (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauz 1 Continuous slot 3 Mill slot 6 Wire							9 Drilled h		i i None (open note)	
2 Lou	vered shu	tter 4 K	ey punched	7 Toro	ch cut		. ,	* *		
SCREEN	-PERFOR	ATED INTERVA	LS: From	6 ft. to .		ft., Fro	om	ft	to	ft.
	GRAVEI	PACK INTERVAL	From 9						to	
	GILAVEL	, AOR IIVIEITVAI		ft. to .					to	
6 GROUT	MATERI	AL: 1 Neat c	ement 2	Cement grout	3 Benton	ite	4 Other			
_	ervals: F	rom	ft. to <i>l .5</i>	ft., From		to	ft., From	m	ft. to	ft.
What is the	ne nearest		ble contamination:				estock pens		bandoned water well	
1 Sept	tic tank		ral lines	, ,	7 Pit privy 11 Fuel stor				Dil well/Gas well	
2 Sewer lines 5 Cess pool							lizer storage X16 Other (specify below)			
	•	ver lines 6 Seep	age pit	9 Feedya	ıra		ecticide storage			
Direction	TO TO		LITHOLOGIC LO		FROM	TO	nany feet?	PLUGGING II	NTERVALS	
1110111			LittleEddie Edd		1110111		_	1 20001110 11	TI ETTALO	
0"	56'	99	9							
		DIRE	CT PUSH							
7 001:	AOTORIO	OD LANDOWN	DIO OFFICIOATIO	NI. This	100	200		(0) -1	d	
7 CONTR. completed			R'S CERTIFICATION	אוע: Inis water well ו	•	,			der my jurisdiction and	
				This Water W	/all Record wa	aru mis rec s complete:	d on (mo/day/w	e best of my kr	owledge and belief. Kar	ısas
				Seevill B				، ، ، ، ، ، ،		• • • •
		TRAT	y well.	JORNIE E		,,,	4	lun	Epl	