WAIL	KWE	L RECORD	FORM W	WC-3		iter Resources App. N		
1 LOCATION OF WATER WELL: Fraction					Section Number		Range Number	
County: Reno NE ¼ SW ¼ NW ¼ NW ¼ Street/Rural Address of Well Location; if unknown, distance & direction					33		R 6 □E ☑W	
				Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here . Latitude:								
					Longitude: (in decimal degrees)			
				Elevation:				
2 WATER WELL OWNER: City of Hutchinson					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 125 E. Avenue B					GPS unit (Make/Model:)			
Ct. C. STR. C. I					Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Hutchinson, Kansas 67501					Est. Accuracy:			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .30								
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2)						ft. ((3) ft.	
	SECTION BOX: Depth(s) Groundwater Encountered (1)							
Pump test data: Well water wasft. afterhours pumpinggpi								
N	W N		EST. YIELDgpm. Well water was 30ft. after					
w		E Bore Hole Diam	Bore Hole Diameter 1.4in. toft., andin. toft.					
ļ 			WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☑ Dewatering ☐ Other (Specify below)					
SV	v s	E - Domestic						
		Irrigation	☐ Industrial ☐ I				•••••	
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter .8 in. to .10								
Casing height above land surface18								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From10								
From								
GRAVEL PACK INTERVALS: From30 ft. to10 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .10 ft. to .0 ft., From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
		n well north						
FROM	TO	LITHOLOG		FROM			GGING INTERVALS	
0	4	Clav				, _ (30) <u>V.</u> 1 D.		
4	29	Sand & Gravel Coarse	-Med to I ra					
29	30	Red Shale	MOU. IV LIV.				T. T	
25	 	ricu onale	1					
	-							
	l							
ļ	 							
	-							
	 							
	L	ODIC OD I AND OTTO	NO OFFICE A TOP OF	T. ODI				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .1.1-24-09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-25-09								
under the business name of ROSANCIANTZ-BAMIS Ent by (signature) by (signature) Dedean INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
		5522. Send one copy to WAT						
		ov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								