WATER WELL RECORD	Form WW	C -5	Division of Water	r Resources App. N	0.	
1 LOCATION OF WATER WELL	: Fraction		Section Number		Range Number	
County: Reno	1/4 NE1/45W1/	NW1/4	2	T 22 S	R 6 □E X W	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning	System (GPS) in	nformation:	
from nearest town or intersection: If at owner's address, check here 🔀.			Latitude: (in decimal degrees)			
			Longitude: (in decimal degrees)			
			Elevation:			
2 WATER WELL OWNER: Robert Bowns n			Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
RR#, Street Address, Box #: /0 406 Page hales Page		0	Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code :	0400 Paganica	pass	Digital Map/Photo, Topographic Map, Land Survey			
2 WATER WELL OWNER: RR#, Street Address, Box #: City, State, ZIP Code Robert Bowman 10406 Paganica Pass Hutch, KS 67502		02	Est. Accuracy:			
3 LOCATE WELL						
WITH AN "X" IN 4 DEPTH	OF COMPLETED WELL	<i>l.l.L</i>	ft.			
SECTION BOX: Depth(s) Gr	Depth(s) Groundwater Encountered (1)					
WELL'S ST	Depth(s) Groundwater Encountered (1)					
P	Pump test data: Well water wasft. after					
	EST. YIELDgpm. Well water wasft. after hours pumpinggpm					
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? \bigveet Yes \square No						
5 TYPE OF CASING USED: Steel X PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface. 2.7						
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From ft. to /// ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From. 2.3						
From 6.5 ft. to 11.4 ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From 3 ft. to 4.3 ft., From 6.9 ft. to 6.5 ft., From ft. to ft.						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well			om well / 0.0			
					JGGING INTERVALS	
0 8 Br Clay						
8 58 F Saud 58 84 Br + G+ Clas						
58 84 Br+Gr Clas				•		
84 87 F Sand						
87 89 Br+ Gr C1	as					
89 109 F Sand					,	
109 114 Br Clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, in reconstructed, or in plugged under my jurisdiction and was completed on (mo/day/year)?						
under my jurisdiction and was completed on (mo/day/year) 9.7.7.2 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 447 This Water Well Record was completed on (mo/day/year)						
under the business name of ./\(\sigma_1/1/er\)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						