WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Keno	1/4 (1/4 5 1/4 5 8 1/4	
Street/Rural Address of Well Location from nearest town or intersection: If		Global Positioning System (GPS) information:  Latitude:
nom hearest town of intersection: If	at owner's address, theck here	Longitude: (in decimal degrees)  Longitude: (in decimal degrees)
		Elevation:
2 WATER WELL OWNER:	FERON DICO	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		
City, State, ZIP Code :	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Digital Map/Photo, Topographic Map, Land Survey  Est. Accuracy: <a href="#">S</a> m, 3-5 m, 5-15 m, >15 m
	chinson, KS 61502	Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH O	F COMPLETED WELL3	ft
SECTION BOX: Depth(s) Group	undwater Encountered (1)	ft. (2)ft. (3) <sub>2</sub> <sub>4</sub> <sub>5</sub> <sub></sub>
N WELL'S STA	ATIC WATER LEVEL	below land surface measured on mo/day/yr,ft.  ft. after
Pui	mp test data: Well water was	ft. after
NWNE EST. YIELD	gpm. Well water was	ft. after hours pumping gpm ft., andft.
W E Bore Hole Di	ER TO BE USED AS: Public wa	er supply  Geothermal  Injection well
Domestic	☐ Feedlot ☐ Oil field wat	er supply   Dewatering   Other (Specify below)
I I I I I I I I I I I I I I I I I I I	☐ Industrial ☐ Domestic-la	wn & garden
Was a chemical/bacteriological sample submitted to Department? Yes No		
S If yes, mo/day/yr sample was submitted		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter ft., Wall thickness or gauge No. 1.		
Casing height above land surface in., Weight		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
Steel Stainless Steel PVC Other (Specify)		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From		
SCREEN-PERFORATED INTERVALS: From		
From		
From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From ft. to ft., From ft., From ft., From ft., From ft.		
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well		
Watertight sewer lines Seepa	ge pit Feedyard Fertilizer s	
Direction from well	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
FROM TO LITHOL	FROM FROM	ETTIO, LOG (COIR.) OF LEGGGING INTERVALS
1017 FINC 50	63	
17 19 Fine sav	-d	
1934 pla 5126	gravel	
1	9	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, $\Box$ reconstructed, or $\Box$ plugged under my jurisdiction and was completed on (mo/day/year)		
under my jurisdiction and was completed on (mo/day/year) \		
under the business name of And Samula of the State Sta		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		