WAILK	VELL RECORD	FORM WWC-5	Division of Water Resources App. No.
		Fraction	Section Number Township No. Range Number
County: Reno		SE 1/4 NE 1/4 SE 1/4 SE	¼ 29 T 22 S R 6 □E ☑W
	ral Address of Well Location	Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here . Latitude: .38,10292			
Longitude: 097.99705 (in decimal degrees)			Longitude: 097.99705 (in decimal degrees)
			Elevation: 1553
			Datum: WGS 84, NAD 83, NAD 27
2 WATER	WELL OWNER: Terry	/anRuren	Collection Method:
2 WATER WELL OWNER: Terry VanBuren RR#, Street Address, Box #: 4501 N. Wilson Road			GPS unit (Make/Model: Garmin csx
G's G's ZID G's I			Digital Map/Photo, \(\overline{\mathbb{D}}\) Topographic Map, \(\overline{\mathbb{D}}\) Land Survey
City, Sta	te, Zh code Hutchi	nson, Kansas 67502	Est. Accuracy: $\square < 3 \text{ m}$ , $\square 3-5 \text{ m}$ , $\square 5-15 \text{ m}$ , $\square > 15 \text{ m}$
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.			
SECTION	Deptn(s) Groun	idwater Encountered (1)	ft. (2) ft. (3) ft.
			ft. below land surface measured on mo/day/yr. 6-22-2012
			ft. after hours pumping gpm
			ft. after hours pumping gpm
W     E   Bore Hole Diame		neter 10 in to 40	ft., andft.
WELL WATER TO BE USED AS:			
Demostic Denotice Delified water cumby Dewatering Other (Specify below)			
SW SE   Domestic   Feedlot   Off field water supply   Dewatering   Other (specify below)			
Was a chemical/bacteriological sample submitted to Department?  Yes No			
S If yes, mo/day/yr sample was submitted			
i m	Water well disi	nfected? 🔽 Yes 🔲 No	
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .5 in. to .30 ft., Diameter in. to			
			lbs./ft., Wall thickness or gauge No4.14
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
Brass Galvanized Steel None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From30			
From			
GRAVEL PACK INTERVALS: From 40 ft. to 15 ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other			
What is the nearest source of possible contamination:			
Septic tank			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Fertilizer storage ☐ Oil well/gas well ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Feedyard ☐ Fee			
			ce from well 104'.
FROM T	O LITHOLO	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 2	Sandy top soil		
2 8	Brown clay		
8 37	Medium sand and gra	vel	
		VOI	
37 40	Grey clay		<del>                                     </del>
<del> </del>			
<del></del>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .6-22-2012 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 7-2-2012			
under the business name of Rosencrantz-Bemis Ent. by (signature) believes Dales			
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.			
Telephone 785-296-5524. Sen d one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy			