

WAT	ER V	WELL	RECORD		•••••	4113	Divi	sion of Wate	er				
			Correction		e in Well Use			urces App. N	1		Well ID		
			WATER WE	LL:	Fraction		Sect	tion Numbe	er	Township Number		Range Number	
	unty:					/4 ¹ /4	14 T S R I reet or Rural Address where well is located (if unknown, distance)						
2 WE Busin Addr Addr	ness: ess:	WNEK:	Last Name:		First:	direction from nearest town or intersection): If at owner's address, o							
City:				State:	ZIP:								
3 LOC			1 DEPT	4 DEPTH OF COMPLETED WELL:				5 Lotitudo					
	'Н "X			Depth(s) Groundwater Encountered: 1)				5 Latitude:(decimal degrees) Longitude:(decimal degrees)					
SEC	TION N	BOX:		3) ft., or 4)			Datum: WGS 84 NAD 83 NAD 27						
	WELL'S STATIC WATER LEVEL:							Source for Latitude/Longitude:					
		1		below land surface, measured on (mo-day-yr)					$\Box GPS (unit make/model:)$				
NV	N -	- NE		D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
w			- 6	after hours pumping gpm									
×	-	- SE		Well water was ft.									
3v	• ·	- 3E		after hours pumping gpm					6 Elevation:ft. Ground Level TOC				
	S			Estimated Yield:gpm Bore Hole Diameter:in. to ft. and					Source: Land Survey GPS Topographic Map				
		le	2010 11010	in. to ft.					Other				
7 WELL WATER TO BE USED AS:													
1. Dome		11		5. Public Water Supply: well ID					10. Oil Field Water Supply: lease				
		Garden		6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID				11. Test Hole: well ID					
				8. Monitoring: well ID									
2. 🗍 Irri	igatio	n		al Remediation: well		a) Cl	a) Closed Loop 🗌 Horizontal 🗌 Vertical						
3. □ Fe				Air Sparge Soil Vapor Extr				b) Open Loop Surface Discharge Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):													
	Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
	Water well disinfected? Yes No												
	8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
Steel Stainless Steel Fiberglass PVC Other (Specify) Derge Coherents tile Nano used (open hele) Other (Specify)													
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:													
	□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
	ouvere	ed Shutter	🔲 Key Pund	ched 🗌 W	vire Wrapped	aw Cut	🗌 No	one (Open H	Hole)				
SCREE					n ft. to								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
			ble contaminat										
🗌 Sej				Lateral Line				Livestock Pe		Insectic			
				Cess Pool	Sewage L			Fuel Storage		Abando		Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)													
					Distance from v					ft.			
10 FRO	М	ТО		LITHOLO	GIC LOG	FRC	М	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
						_							
							\rightarrow						
							-+						
						Note	s:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)													
under the business name of													
KS De	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us	s at <u>htt</u>	p://www.kd	heks.gov/waterwo	ell/index.html							K	SA 82a-1212	