WATER WELL RECORD			Form WW	<u>'C-5</u>	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:			Fraction		Section Number Township No. Range Number
	ty: Ren		NE 1/4 NE 1/4 SW		16 T 22 S R 6 □E ☑W
		ddress of Well Location;			Global Positioning System (GPS) information: Latitude: .38,13309
	from nearest town or intersection: If at owner's address, check here From 56th and Wilson Road 1 1/4N 1/4E in field			Longitude: 097,99107 (in decimal degrees)	
Fron	n sotn a	nd Wilson Road 1 1/4N	1/4E in field		Elevation: 1588
2 WATER WELLOWIER					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, [NAD 27
2 WATER WELL OWNER: White Rose Inc. RR#, Street Address, Box #: P.O. Box 913					Collection Method: GPS unit (Make/Model: Garmin 62S
C' C C TID C 1			on, Kansas 67504		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
		riduinis	UII, Nalisas 0/304		Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.					
N WELL'S STATIC WA			IC WATER LEVEL9.	ft.	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr11/4/2013
Pump test data:			test data: Well water v	was	ft. after hours pumping gpm
EST. YIELDgpm. Well water was				vas	ft. after hours pumping gpm
					t., andin. toft. er supply Geothermal Injection well
Demostic Decodlet Delifield water graphy Deveatoring Dethor (Specify below)					
Irrigation Industrial Domestic-lawn & garden Monitoring well Stock					
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
S If yes, mo/day/yr sample was submitted					
. Water well districted: [12] 1 cs [1] 100					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter					
Casing height above land surface. 20 in., Weight .160 lbs./ft., Wall thickness or gauge No214					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 40 ft. to 15 ft., From ft. to ft.					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
					п. т., гготп. т. т.
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Irrigation well ☐ Direction from well ☐ Nest ☐ Distance from well ☐ Distance from w					
FROM	TO	LITHOLOG	GIC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	3	Top soil			
3	10	Brown clay			
10	20	Medcourse sand & gr	ravel		
20	40	Med. sand & gravel			
 					
		ette etnetisket komult ett och och mot et en til kalende et en til de komult et en til de komult et en til de k			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .11/4/2013 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 134. This Water Well Record was completed on (mo/day/year) 11/11/2013					
under the business name of Rosencrantz-Bemis Ent. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy					
Kon oza-1212 Check: [v] white Copy, [] Pink Copy					