KOLAR Document ID: 1481699

WATER WELL H			WWC-5 te in Well Use		vision of Wat			W-11 ID		
Original Record Correction Chang LOCATION OF WATER WELL:			Fraction		ources App. No ction Number Township Nur			Well ID	ge Number	
County:				1/4		bel	T S	R R	$\Box E \Box W$	
					reet or Rural Address where well is located (if unknown, distance and					
					irection from nearest town or intersection): If at owner's address, check here:					
Address:			neurose to mine			5 uuu 055,				
Address:		G • • •	710							
City:		State:	ZIP:							
3 LOCATE WELL WITH "X" IN	TH "X" IN 4 DEPTH OF COMPLETED WELL:					t. 5 Latitude:				
SECTION BOX:	Depth(s) G			Longitude:(decimal degrees)						
N		ft.				WGS 84 🗌 NAE		IAD 27		
	WELL'S S'		п. yr)		Source for Latitude/Longitude:					
X			yr)		$(WAAS enabled? \square Yes \square No)$					
IN W INE	Pump test d				Land Survey Topographic Map					
W E	after	hour			Online Mapper:					
SW SE	c.	Well v								
	after Estimated Y	hours	gpm	6 Elevation:ft. Ground Level TOC						
S	Bore Hole I		ft and		Source: Land Survey GPS Topographic Map					
1 mile	2010 11010 1		ft.							
7 WELL WATER TO BE USED AS:										
1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 										
Household	6. Dewatering: how many wells? 7. Aquifer Recharge: well ID						well ID			
□ Lawn & Garden □ Livestock			g: well ID				Uncased C al: how many bores			
2. Irrigation			••••••			Loop Horizonta				
3. Feedlot] Air Sparg	extraction		b) Open Loop \square Surface Discharge \square Inj. of Water					
4. 🗌 Industrial	\square Recovery \square Injection 13. \square Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Yes No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No										
□ Steel □ Stainless Steel □ PVC □ Other (Specify)										
□ Brass □ Galvanized Steel □ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. to ft. to ft. to										
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft. 9 GROUT MATERIAL: Deat cement Dement grout Bentonite Other										
Grout Intervals: From										
Nearest source of possib			potential source of cont							
Septic Tank		Lateral Line			Livestock P		☐ Insectic			
Sewer Lines		Cess Pool	□ Sewage Lag		Fuel Storage		Abando			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)										
Direction from well? ft.										
10 FROM TO		LITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
						-				
						-				
						1				
				Notes:	•	•				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.										
Kansas Water Well Co	ntractor's Lic	ense No		ter Well Red	cord was co	mple	ted on (mo-day-ye	ear)	5- una benen.	
under the business name	e of									
KS Department of Health			ELL OWNER and retain o						785-296-3565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										