KOLAR Document ID: 1520930

WATER WELL			WWC-5			vision of V					
	Correction		e in Well Use			sources Ap			Well ID		
1 LOCATION OF WATER WELL:			Fraction			ection Nur	nber	Township Numb		nge Number	
County:			1/4 1/4	1⁄4			1.		R		
						treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:					
Address:											
Address:											
City:	•	State:	ZIP:								
3 LOCATE WELL	4 DEPTH	OF COM	IPLETED WEL	L: .		ft. 5 La	titude			(decimal degrees)	
WITH "X" IN	WITH "A" IN Depth(s) Groundwater Encountered: 1)										
SECTION BOX: N		2) ft. 3) ft., or 4) 🗌 I					y Well Datum: WGS 84 NAD 83 NAD 27				
		WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude:				
	below land surface, measured on (mo-day-yr						GPS (unit make/model:)				
NW NE		Dump test data: Well water was ft.								(o)	
	- 0	after hours pumping				□ Land Survey □ Topographic Map □ Online Mapper:					
	uitoi	Well water was ft.				L					
SW SE		after hours pumping gp						<u>.</u>			
	Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC					
S											
	1 mile in. to ft. □ Other										
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
□ Household											
Lawn & Garden								I \square Uncased \square			
Livestock	8. Monitoring: well ID							nal: how many bore			
2. Irrigation	9. Environmental Remediation: well ID.							d Loop 🔲 Horizon			
3. 🗌 Feedlot							b) Open Loop 🗌 Surface Discharge 📋 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest source of possi		on: No	potential source of	con	tamination w	10., 14 vithin 200 f	t.		· · · · · · · · · · · · · · · · · · ·		
Septic Tank		Lateral Line] Livestock		Insection	cide Storage		
Sewer Lines		Cess Pool	□ Sewage			Fuel Stor			oned Water	Well	
Watertight Sewer I		Seepage Pit				Fertilizer	Storag	e 🗌 Oil We	ll/Gas Well		
Direction from well? ft.											
10 FROM TO		LITHOLO		n we	FROM	ТО		π THO. LOG (cont.) or		GINTERVAIS	
					TROM	10			TLUGOIN	O IITIEK MES	
					1	1					
	<u>_</u>				Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my jurisdiction	5 UK LAND	JWNER'S leted on (n	5 CEKTIFICATI 10-day-year)	IUN	: This wat	er well wa	is ∐ C rd is t•	constructed, \square reconstructed \square reconstructed \square	v knowled	or \square plugged	
Kansas Water Well Co	ontractor's Lie	ense No.	This	 Wa	ter Well Re	cord was	compl	eted on (mo-dav-v	ear)	50 and 001101.	
under the business nar	ne of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.											
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											