


1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Reno		SE 1/4 SW 1/4 NW 1/4		36		T 22 S		R 7 EW	
Distance and direction from nearest town or city street address of well if located within city? Approx. 3 miles south and 2 1/4 mi. east of Nickerson, KS									
2 WATER WELL OWNER: Bob Brown									
RR#, St. Address, Box # : Box 457					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Hutchinson, KS 67501					Application Number: not available				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 23 ft. ELEVATION: unknown							
<div style="text-align: center;">N 1 Mile W E S</div> 		Depth(s) Groundwater Encountered 1. 7 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 7 ft. below land surface measured on mo/day/yr 8/31/83							
		Pump test data: Well water was not ck'd ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter: 20 in. to 23 in. to ft. and in. to ft.		WELL WATER TO BE USED AS:							
1 Domestic		3 Feedlot		6 Oil field water supply		9 Dewatering		12 Other (Specify below)	
2 Irrigation		4 Industrial		7 Lawn and garden only		10 Observation well			
Was a chemical/bacteriological sample submitted to Department? Yes X No; If yes, mo/day/yr sample was submitted 5-19-83									
Water Well Disinfected? Yes No X									
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (specify below)		CASING JOINTS: Glued Clamped	
2 PVC		4 ABS		7 Fiberglass				Welded XX	
								Threaded	
Blank casing diameter 10 3/4 in. to 11 in. to ft., Dia. in. to ft.									
Casing height above land surface 12 in., weight 21.15 lbs./ft. Wall thickness or gauge No. 188									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		11 Other (specify)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify) Doerr Bridge Slot			
SCREEN-PERFORATED INTERVALS: From 11 ft. to 23 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 10 ft. to 23 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL:									
1 Neat cement		2 Cement grout		3 Bentonite		4 Other			
Grout Intervals: From 0 ft. to 10 ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
						13 Insecticide storage		RIVER	
Direction from well? Northeast									
How many feet? 1400									
FROM		TO		LITHOLOGIC LOG		FROM		TO	
0		4		Topsoil & brown clay					
4		20		Sand & gravel					
20		21		Sand & gravel, & thin clay streak					
21		23		Sand & gravel					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/31/83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 . This Water Well Record was completed on (mo/day/yr) 9-29-83 under the business name of Clarke Well & Eq., Inc. by (signature) Clarke Well & Eq., Inc.									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									