WATE	R WEL	L RECORD	Form W	WC-5	Division of Water Resources App. No. 47,500		
	CATION on ty: Rend	OF WATER WELL:	Fraction NE ¼ NE ¼ SW	1/4 SE 1/4	Section Number Township No. Range Number 6 T 22 S R 7 DE	er VW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from nearest town or intersection: If at owner's address, check here .					Latitude: .38.16291 (in decimal degrees) Longitude: 098.12865 (in decimal degrees) Elevation: 1624		
2 337.4	TED WE	TI OWNED			<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☑ NAD 27		
		• • • "	H. Mizell		Collection Method:		
RR#, Street Address, Box #: 511 North Peabody City, State, ZIP Code : Nickerson Kannas 67561				GPS unit (Make/Model: Garmin csx)		
		TAICKEIS	on, Kgansas 67561		☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land S Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 42							
1	H AN "X"						
SEC	FION BOX	Depth(s) Groundwater Encountered (1)					
l —	WELL'S STATIC WATER LEVEL						
'	Pump test data: Well water was						
w	W						
SW SE							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected?							
water went districted: [y] Tes [] No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .16 in. to .27 ft., Diameter in. to ft., Diameter in. to ft.							
				SCH.40	lbs./ft., Wall thickness or gauge No500		
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
□ Continuous siot □ Min siot □ Gauze wrapped □ Forch cut □ Drined notes □ None (open note) □ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From42							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From .15 ft. to .0 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
		well			from well		
FROM	ТО	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTER	VALS	
0		Sandy top soil					
3		Clay					
6	42	Medium sand					
	 						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .7.7.10							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) .7-19-10							
under the business name of Rosencrantz-Bemis Ent. by (signature) August Ondian							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
(white, blu	ue, pink) to	Kansas Department of Health	and Environment, Bureau o	t Water, Geole	rgy Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 660	512-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .							
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy							