WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section	on Number	Township No.	Range Number	
County: Reno		Near 4 Ctr 4 NV	V 1/4 1/	4 15			R 7 □E XXW	
Street/Rural Address of	of Well Location;		System (GPS) in					
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
in city limits, Holiday St. & old railroad					Longitude: (in decimal degrees)			
right-of-way, Nickerson, KS					Elevation:			
2 WATER WELL OWNER: City of Nickerson					Datum: WGS 84, NAD 83, NAD 27			
CICY OF NICKELSON					Collection Method: GPS unit (Make/Model:)			
C' C TIP C 1					Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Nickerson, KS 67561					Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL								
WITH AN "X" IN								
SECTION BOX:	()							
N	WELL'S STATIC WATER LEVEL8ft. below land surface measured on mo/day/yr7,/30/.10							
	Pump test data: Well water was							
EST. YIELD. 800 .gpm. Well water was								
W E Bore Hole Diameter 30								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes XX No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? 🔀 Yes 🗌 No								
5 TYPE OF CASING USED: Steel XX PVC Other								
CASING JOINTS: A Glued Clamped Welded Threaded Casing diameter								
Casing diameter 10								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel YPVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 25 ft. to 45 ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From 29 ft. to 25 ft., From ft. to 15 ft. to 17 ft. to 17 ft. to 17 ft.								
GRAVEL PACK INTERVALS: From 12 ft. to 45 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From3								
What is the nearest source		,			,			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
X Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well West Distance from well 100.¹								
Direction from well		**********************				OC (t) DI II	CODIC DITERVALC	
FROM TO Sand	LITHOLOG	ilC LOG	FROM	TO	LITHO. LC	or PLU	GGING INTERVALS	
	brown				<u> </u>			
	fine							
		coarse w/gravel						
11 45 Sain,	meatum to c	Daise W/ graver						
			-					
								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mb/day/star) 8/4/10								
under the business name of Peterson Irrigation, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geo	logy Section	on, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								