WATE:	R WEI	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. No	20100288	
		OF WATER WELL:	Fraction	***C-5	Section Number		Range Number	
County: Reno		NE ¼ NE ¼ NE ¼ NW ¼				R 7 □E ☑W		
		Address of Well Location; i						
		town or intersection: If at o		Global Positioning System (GPS) information: Latitude: .38,14439				
Hom hearest town of intersection. If at owner's address, eneek nere					Longitude: 098.07887 (in decimal degrees)			
						Elevation: 1568		
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Smoky Hill 11 C					Collection Method:			
RR#, Street Address, Box #: 645 E. Crawford Street					GPS unit (Make/Model: Garmin csx			
City, State, ZIP Code : Salina, Kansas 67401					☐ Digital Map/Photo, 【 Topographic Map, ☐ Land Survey			
Saina, Nansas 07401					Est. Accuracy: -	3 m, 🛛 3-5 m, 🔲	5-15 m, □ >15 m	
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 35								
SECTION BOX: Depth(s) Groundwater Encountered (1)								
N WELL'S STATIC WATER LEVEL. 8 1/2ft. below land surface measured on mo/day/yr. 10-12-10								
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELDgpm. Well water wasft. after hours pumpinggpm								
W Bore Hole Diameter 28in. to .35ft., andin. toft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Demostic Decodlet Delifield water gumbly Dewatering Dether (Specific below)								
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
was submitted: Water well disinfected? Yes No								
water well distillected: [9] 1es [] 140								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter 16. in. to 15. ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface12								
		EEN OR PERFORATION	MATERIAL:					
	Steel	☐ Stainless Steel	Z PVC		Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 15. ft. to35. ft., From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☑ Other none								
	tervals:	From ft. to						
What is	the near	est source of possible conta			ŕ			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
	Sewer lin			Fuel storage				
✓ Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direc	ction from	m well West		Distance	from well1,0			
FROM	ТО	LITHOLOG	IC LOG	FROM			GGING INTERVALS	
0	2	Top soil						
2	6	Tan clay-silty		- -				
6	20	Med. to coarse sand &	gravel					
20	35		yı avei					
20	33	Med. sand & gravel		 				
				 				
				ļ				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .10-12-19 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) 10-15-10.								
under the business name of Rosencrantz-Bernis Ent. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								