WATER WELL RECORD	Form WWC-	5 D	ivision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL:	Fraction		ion Number	Township No.	Range Number	
County: Reno	SW 1/4 SW 1/4 SE 1/4 S		8	T 22 S	R 7 DE VW	
Street/Rural Address of Well Location;		tion Glob	al Positioning	g System (GPS) ir	nformation:	
from nearest town or intersection: If at	Latin	Latitude: 38.14527 (in decimal degrees) Longitude: 098.11869 (in decimal degrees)				
		Elev	Elevation: (in decimal degrees)			
A WALAGERY WILL I OWNSIED		——— Datu	<u>m</u> : 🔲 WGS 8	4, 🗹 NAD 83, 🗀	NAD 27	
	Mary Kluss	Colle	ection Method:	a u darmin	CAS	
RR#, Street Address, Box #: 12702 West 82nd. Ave. City, State, ZIP Code : NIckerson, Kansas 67561			☐ GPS unit (Make/Model: Garmin CXS) ☐ Digital Map/Photo,			
Nicker	son, Kansas 67561	Est.	Accuracy:	<3 m, Z 3-5 m, □	5-15 m, >15 m	
3 LOCATE WELL	30)				
	COMPLETED WELL39				(2)	
N WELL'S STAT	Depth(s) Groundwater Encountered (1)					
Pum	Pump test data: Well water wasft. after					
NW NE EST. YIELD	EST. YIELDgpm. Well water was					
W E Bore Hole Diar	E Bore Hole Diameter !!! in. to! ft., andin. to					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
I Irrigation I Industrial I Domestic laws & garden I Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes V No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☑ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .5 in. to .20 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From						
From						
Grout Intervals: From .15 ft. t	o .0 ft., From	ft. to .	ft.	, From	ft. toft.	
What is the nearest source of possible contamination:						
Septic tank						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well Southeast	Di					
FROM TO LITHOLO	GIC LOG FR	OM TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 3 Top soil					· · · · · · · · · · · · · · · · · · ·	
37Brown clay sandy730Medium sand and gra	vel					
, job integral sand and gra	VGI				The second secon	
			<u> </u>			
			<u> </u>		NAME OF STREET	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .11-15-2012 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-27-2012						
under the business name of Rosencrantz-Bemis Enterprise by (signature) David U. Dodon. INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
INSTRUCTIONS: Use ty pewriter or ball point pe (white, blue, pink) to Kansas Depar tment of Healt						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212		(Check: W	hite Copy, B	lue Copy, Pink Copy	