WATE	R WEI	LL RECORD	Form WWC-5	Division of Water Resources App. No.	
	CATION nty: Rer	OF WATER WELL:	Fraction 4 NE 4 SE 4	Section Number   Township No.   Range Number   7   T   22   S   R   7   DE   V   W	
			f unknown, distance & direction	Global Positioning System (GPS) information:	
			owner's address, check here .	Latitude: (in decimal degrees)	
I	y 50 E to orth)	o 14, Ñ on 14 to 96, É on	96, 3.5-4m to entrance on left	Longitude: (in decimal degrees) Elevation:	
		ELLOWNER: Shell Oi	l Company/Siegrest	— <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:	
1		Onon Or	301440 2207-7 2"MW	GPS unit (Make/Model:)	
Cit	y, State, Z	TD CL I	ı, TX 77230-1440	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .74					
i	'H AN "X TION BO				
) SEC	N	WELL'S STATI	C WATER LEVEL. 8	ft. (2) ft. (3) ft. t. below land surface measured on mo/day/yr. 0.1/0.7/1.3	
<u> </u>		Pump	test data: Well water was	ft. after hours pumping gpm	
<sub>N</sub>	W   N	EST. YIELD	gpm. Well water was	ft. after hours pumping gpm	
w	W   E   Bore Hole Diameter 9.3/9in. to .99tt., andin. tott.				
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)				
SW   SE					
Was a chemical/bacteriological sample submitted to Department?  Yes No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected?  Yes  No					
5 TYPE OF CASING USED: Steel V PVC Other					
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☑ Threaded					
Casing diameter .2 in. to .54 ft., Diameter in. to ft., Diameter ft., Diameter in. to ft. Casing height above land surface in., Weight					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From					
GRAVEL PACK INTERVALS: From					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other					
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cessnool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well ☐ Cesspool ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well ☐ Feedyard ☐ Feedya					
		n well		from well	
FROM		LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	5	Gravel	· · · · · · · · · · · · · · · · · · ·		
5	10 20	Gravel			
10 20	30	Gravel Sand			
30	50	Gravel	· · · · · · · · · · · · · · · · · · ·		
50	60	Clay			
60	80	Clay/Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .0.1/0.7/1.3 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No665 This Water Well Record was completed on (mo/day/year) .01/18/13					
under the business name of Pratt Well Service, Inc. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy					