WATER WELL RECO	ORD Form	WWC-5	Di	Division of Water Resources App. No.			
1 LOCATION OF WATI County: Reno	ER WELL: Fraction 1/4 SW 1/4 S	E 1/4 NW 1/2		on Number	Township No.	Range Number	
	Well Location; if unknown, distancersection: If at owner's address, ch			Global Positioning System (GPS) information: Latitude:			
9W, 1N of Nicker	rson, KS			Longitude: (in decimal degrees) Elevation:			
RR#, Street Address, Bo	ER: Jeffrey L. Proffitt ox#: 10002 N. Sterling R : Sterling, KS 67579	N. Sterling Rd.		Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method: ☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
3 LOCATE WELL	***************************************		Est. A	ccuracy: -	<3 m, ☐ 3-5 m, ☐	5-15 m, □ >15 m	
WITH AN "X" IN SECTION BOX: N NWNE X SWSE C	4 DEPTH OF COMPLETED WELL 62 ft. Depth(s) Groundwater Encountered (1) 15 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 04/01/10 Pump test data: Well water was ft. after hours pumping gpm EST. YIELD 69 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft. WELL WATER XXXXX USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in. to 42 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 3. ft., belown, Weight 2.8. lbs./ft., Wall thickness or gauge No. Sch. 40. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 42. ft. to 62. ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From2Q							
6 GROUT MATERIAL: □ Neat cement □ Cement grout □ Bentonite □ Other							
FROM TO	LITHOLOGIC LOG	FROM	TO			GGING INTERVALS	
		62	23	gravel			
Proff	itt lease	23	3 0	bentonii top soi			
Sterl	ing Drilling Company						
P. O. Box 1006 Pratt, KS 67124							
Prairi	NS 0/124						
						· · · · · · · · · · · · · · · · · · ·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)04/01/.10 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year)04/10/10 under the business name of Kelly.'s Water. Well Service, Inc by (signature) License No							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212							