

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: HARVEY		1/4 SW 1/4 SW 1/4	25	T 23 S	R 1 E 6
Distance and direction from nearest town or city street address of well if located within city? 3318 SW 24th RD. NEWTON, KS					
2 WATER WELL OWNER: HARVEY CO. RR#, St. Address, Box #: HARVEY CO. COURTHOUSE City, State, ZIP Code: NEWTON, KS P.O., BOX 687 67114 Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 13 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.			
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm; Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 7 1/4 in. to 13 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only X10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded		X Threaded			
X2 PVC 4 ABS 7 Fiberglass					
Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 36 in., weight sched 40 lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		X 7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot X 3 Mill slot 0.10 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 13 ft. to 3 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 13 ft. to 2.5 ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement X 2 Cement grout X3 Bentonite 4 Other					
Grout Intervals: From 1 ft. to 5 ft., From 2.5 ft. to 1 ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage LANDFILL					
Direction from well? east		How many feet? 1000			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	BRN DRY SILTY CLAY			
2	4	DARK BRN SOFT SANDY CLAYEY SILT			
4	8	DARK BRN COARSE GRAINED SILTY SAND SATURATED AT 5'			
8	10	GRAY TO BRN SANDY CLAYEY SILT			
10	11	BRN VERY COARSE GRAINED SILTY SAND			
11	13	BRN VERY STIFF CLAY SOME LENSES OF COARSE GRAINED SAND Y CLAY			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-11-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 575 This Water Well Record was completed on (mo/day/year) 9-27-96 under the business name of KURTZ ENVIRONMENTAL SERVICE by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					