

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: HARVEY		SW 1/4 SE 1/4 SW 1/4	28	T 23 S	R 1 EW
Distance and direction from nearest town or city street address of well if located within city? 1 North & 1 1/2 West of Newton					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : City, State, ZIP Code		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 42 ft. ELEVATION: 42 ft.			
		Depth(s) Groundwater Encountered 1. 15 ft. 2. 15 ft. 3. 15 ft.			
		WELL'S STATIC WATER LEVEL 10 ft. below land surface measured on mo/day/yr 4-21-83			
		Pump test data: Well water was 23 ft. after 2 hours pumping 20 gpm			
		Est. Yield 20 gpm: Well water was 23 ft. after 2 hours pumping 20 gpm			
		Bore Hole Diameter 11 in. to 42 ft., and 42 in. to 42 ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well - A.C. water 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes X No X If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter 5 in. to 20 ft., Dia 20 in. to 20 ft., Dia 20 in. to 20 ft.				8 Concrete tile	
Casing height above land surface 18 in., weight 2.37 lbs./ft. Wall thickness or gauge No. 214				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel		5 Fiberglass	
2 Brass		4 Galvanized steel		6 Concrete tile	
				7 RMP (SR)	
				8 ABS	
				10 Asbestos-cement	
				11 Other (specify)	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot		5 Gauzed wrapped factory	
2 Louvered shutter		4 Key punched		6 Wire wrapped	
				7 Torch cut	
				8 Saw cut 0.025	
				9 Drilled holes	
				10 Other (specify)	
				11 None (open hole)	
SCREEN-PERFORATED INTERVALS:					
From 20 ft. to 30 ft.		From 30 ft. to 42 ft.		From 42 ft. to 42 ft.	
GRAVEL PACK INTERVALS:					
From 10 ft. to 42 ft.		From 42 ft. to 42 ft.		From 42 ft. to 42 ft.	
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite	
4 Other					
Grout Intervals: From 0 ft. to 10 ft. From 10 ft. to 42 ft. From 42 ft. to 42 ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Landfill	
				10 Livestock pens	
				11 Fuel storage	
				12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well? EAST					
How many feet? 50					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	5	Sandy loam to br clay			
5	10	light br sandy clay			
10	15	br. clay			
15	18	Light br clay			
18	30	Sand - fine to med course (cemented w/ chlorides)			
30	35	green shale			
35	36	white compacted cal chlorides			
36	42	dark shale - Wellington			
A.C. disposal well @ rate of 13 1/2 gpm - discharge below water line					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-21-83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 175 This Water Well Record was completed on (mo/day/yr) 5-26-83 under the business name of Paul's Inc. by (signature) Paul Bunick					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

E

SEC.

SW 1/4 SE 1/4 SW 1/4