USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County Fraction		Section number		Township number	Range number	
1. Location of well:	HARUBY	SE 1/4 SW 1/4 SE 1/4		9	т <b>23</b> s	R (	
2. Distance and direction from nearest town or city: 4 - West on 3. Owner of well: Tom UEAZEY  R.R. or street: Box 342							
Street address of well location if in city: Newton ON 12th Str. City, state, zip code: CAWKER CITY KS 6743							
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia in. Well depth ft.	. Completion date	25
		She Y - to LA	Soon	7)	7 Cable tool Rotary		_
NW	NE XUXIL	#1 /7)			Hollow rod Jetted	Bored Revers	
E Silo					8. Use: Domestic Pu  X Irrigation X Ai	ublic supply Indu ir conditioning Stoc	
sw	SE	Wash.	42	<b>U</b>	LawnOi	il field water Oth	ner
	<b>♣</b> t	){	"-(	7	9. Casing: Materia Dies Linearie Welded X		in.
S 1 M			<del>}</del>	7	PVC X Dia 5 in. to 63 ft. dep		
5. Type and color of		Ver s year	From	То	Dia in. to ft. dept	th gage No	<u>8</u>
Sub u. Dea day				1	10. Screen: Manufacturer's n		
SILT to RED CLAY			0	6	Slot/gauze .031	Dia	<u>/                                    </u>
TON BROWN CLAY			6	/2	Set between 43 ft. c	ft. and	ft.
GREY CLAY			12	22	Gravel pack? Size ra		14
TAN MED SAND			22	25	11. Static water level:  Z/ ft. below land sur		/day/yr. <b>5-25</b>
MED. WHITE SAND			25	30	12. Pumping level below land		g.p.m.
EAL. LIME ROCK				31	ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.		
GREY CLAY			31	40			
WHITE SAND			40	41	14. Well head completion:	4	
Blue GREY CLAY			41	44	X Pitless adapter	Inches above gr	rade
SALID			44	45	With: X Neat cement	Bentonite Co	oncrete J
DRE BROWN CLAY				47	16. Negrest source of possible	contamination:	$\sim$
POURSE SAND			45	50	ft. 25 Direction Well disinfected upon comple		No
SANDY GREY CLAY			50	56	17. Pump:  Manufacturer's name	X Not installed	
SAND MEDIUM			56		Model number	HP Volts	
GREY SHALE			59	6.3	Type: Submersible	Turbine	
(Use a second sheet if needed)					Jet Centrifugal	Reciproc Other	ating
18. Elevation:	19. Remarks:	The code of the co			20. Water well contractor's o		
l l					This well was drilled under my is true to the best of my know	•	eport
Topography:					PAUL'S THE	#175	nse No.
Slope				Address — Box 26	HESSIO	4/25	
Upland Valley					Signed Confidence	esenit trive	15 15 15 15 15 15 15 15 15 15 15 15 15 1
							. (''