

1 LOCATION OF WATER WELL:		Fraction		Twp. WWS		RSA 02a-1212		Township Number		Range Number	
County: Harvey		SW 1/4 SE 1/4 SW 1/4		9		T 23 S		R 1 EW			
Distance and direction from nearest town or city street address of well if located within city?											
3 1/2 mi. W of Newton											
2 WATER WELL OWNER:											
RR#, St. Address, Box #: 6 Fairway Dr											
City, State, ZIP Code: Herston, KS 67062											
Board of Agriculture, Division of Water Resources											
Application Number:											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:											
4 DEPTH OF COMPLETED WELL: 49 ft. ELEVATION:											
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.											
WELL'S STATIC WATER LEVEL: 21 ft. below land surface measured on mo/day/yr 6-8-94											
Pump test data: Well water was 46 ft. after 1 hours pumping 11 gpm											
Est. Yield 11 gpm: Well water was ft. after hours pumping gpm											
Bore Hole Diameter: 8 in. to 49 ft. and in. to ft.											
WELL WATER TO BE USED AS:											
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted											
Water Well Disinfected? Yes X No											
5 TYPE OF BLANK CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped											
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded											
7 Fiberglass Threaded											
Blank casing diameter 5 in. to 29 ft., Dia. in. to ft., Dia. in. to ft.											
Casing height above land surface 12 in., weight 2.37 lbs./ft. Wall thickness or gauge No. 160											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement											
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)											
12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes											
7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 29 ft. to 49 ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From 23 ft. to 49 ft., From ft. to ft.											
6 GROUT MATERIAL:											
1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From 3 ft. to 23 ft., From ft. to ft., From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)											
13 Insecticide storage											
Direction from well? E, NE How many feet? 125											
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS											
0 16 Br clay											
16 18 F+M Sand											
18 29 Rocky Br clay											
29 40 F-c Sand + layers Clay											
40 46 Br clay											
46 49 shale											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-8-94 and this record is true to the best of my knowledge and belief. Kansas											
Water Well Contractor's License No. 447 This Water Well Record was completed on (mo/day/yr) 6-30-94											
under the business name of Miller Drilling by (signature) E. Miller											
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.											