

#3

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County HARVEY	Fraction SE 1/4 NW 1/4 SW 1/4	Section number 24	Township number T 23 S R 1 EW	Range number
2. Distance and direction from nearest town or city: Lot 4			3. Owner of well: UBRONN KING			
Street address of well location if in city: Royer West ADD.			R.R. or street: 212 SE 5th St. City, state, zip code: Newton, KS			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 4 in. Completion date 7-15-78 Well depth 76 ft.		
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input checked="" type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material Plastic Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 36 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.82 lbs./ft. Dia. 5 in. to 76 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 1258		
5. Type and color of material				From	To	10. Screen: Manufacturer's name Karn-Truck
Silty Loam				0	5	Type PVC Dia. 5"
SILTY SAND				5	10	Slot/gauze 1020 Length 15'
BROWN CLAY				10	17	Set between 20 ft. and 25 ft. 55 ft. and 65 ft.
SANDY CLAY				17	20	Gravel pack? <input type="checkbox"/> Size range of material 1/8"
GREEN GREY SHALE				20	22	11. Static water level: 4 ft. below land surface Date 7-15-78
GREY SHALE				22	25	12. Pumping level below land surfaces: 76 ft. after 3 hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m.
GREY SHALE TO DARK WELL				25	30	Estimated maximum yield 2/3 g.p.m.
DARK WELL SHALE				30	49	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date 7-15-78
HARD LIME Rock				49	50	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 36 Inches above grade
DARK WELL SHALE				50	56	15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 10 ft. to 0 ft.
FAULTED AREA				56		16. Nearest source of possible contamination: ft. 35' Direction SB Type check
DARK WELL SHALE				56	76	Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
						17. Pump: <input checked="" type="checkbox"/> Not installed
						Manufacturer's name
						Model number HP Volts
						Length of drop pipe ft. capacity g.p.m.
						Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		To be used for "Heat Sink" for heat pump. NO water to be pumped in or out.		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. PAUL'S TAIL #125 Business name License No. Address HOBSTON KS Signed Paul Bumbhart Date 9/22/78 Authorized representative		