

1	LOCATION OF WATER WELL: County: HARVY	Fraction NE ¼ SW ¼ NW ¼	Section Number 24	Township Number T 23 S	Range Number R 1-W EW
---	--	----------------------------	----------------------	---------------------------	--------------------------

Distance and direction from nearest town or city street address of well if located within city  
3425 Morning Dove Ln

2 WATER WELL OWNER: Davis, Lynn  
 RR#, St. Address, Box # : 3425 Morning Dove Ln  
 City, State, ZIP Code : Newton Kansas 67114

Board of Agriculture, Division of Water Resources  
 Application Number: 51

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

W 
N
S
E
W

NW  
X

NE

SW

SE

4. DEPTH OF COMPLETED WELL. 51 ft. ELEVATION: 1075.0 ft.

Depth(s) Groundwater Encountered 1. 40 ft. 2. 40 ft. 3. 40 ft.

WELL'S STATIC WATER LEVEL 16 ft. below land surface measured on mo/day/yr 9-15-87

Pump test data: Well water was 24 ft. after 5 hours pumping 20 gpm

Est. Yield 30 gpm: Well water was 24 ft. after 5 hours pumping 20 gpm

Bore Hole Diameter 9 in. to 51 ft. and 51 in. to 51 ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 <u>Lawn and garden only</u>	10 Observation well	

Was a chemical/bacteriological sample submitted to Department? Yes. No. + + + ; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes + + + No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ~~XX~~ Clamped  
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  
2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing diameter 5 in. to 31 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 24 in., weight 2.29 lbs./ft. Wall thickness or gauge No. 214

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped ~~8 Saw cut~~ 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 31 ft. to 51 ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 10 ft. to 51 ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.

6] GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From	0	ft. to	10	ft.
What is the nearest source of possible contamination:				10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage		
Direction from well?	east		How many feet?	400	

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-15-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 362 This Water Well Record was completed on (mo/day/yr) 6-15-88 under the business name of MARTIN SUPPLY by (signature) B. W. Schmitt

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.