			WA1	TER WELL RECORD	Form WWC-	5 KSA 8	2a-1212		
County:	HARU	TER WELL:	Fraction	4 SE 4 NI	W 1/4 Se	25	Township Number	r Range	Number
Distance	and direction	from nearest to	wn or city street	address of well if loca	ted within city?				
WATE	R WELL OW	NER: KDH	E MW	¥2					
RR#, St.	Address, Bo	x # :					Board of Agricul	ture, Division of W	ater Resource
	e, ZIP Code	<u>:</u>	11				Application Num		
LOCAT	'E WELL'S L ' IN SECTIO	OCATION WITH N BOX:					ATION:		
		7 55%.			A .		. 2		
	;		I .				urface measured on mo/o		
 	NW	NE	1	•			after hou	, , ,	
	İX	!					after hou		
{ w }		E		TO BE USED AS:	5 Public wat		8 Air conditioning	11 Injection we	
- 1	i	i	1 Domesti				9 Dewatering	Other (Spec	
ľ	SW	SE	2 Irrigation				10 Observation well		
		;	, -				YesNo;		
			mitted				/ater Well Disinfected? Y		
TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOINTS:	Glued Cla	amped
1 S		3 RMP (S	SR)	6 Asbestos-Cemen	t 9 Other	(specify bel	ow)	Welded	<u></u>
@	VC	4 ABS	20	7 Fiberglass				Threaded	
Blank cas	ing diameter	2	.in. to 4.9.	ft., Dia			ft., Dia		
Casing he	eight above la	and surface F.	7 H.C.	in., weight			s./ft. Wall thickness or gau	ige No	<i>30</i> 40
		R PERFORATIO			⊘ P'		10 Asbestos		
1 St		3 Stainles		5 Fiberglass		MP (SR)		ecify)	
2 BI		4 Galvani RATION OPENIN		6 Concrete tile	9 Al			ed (open hole)	anna hala)
	on Fenroi	_	Mill slot		zed wrapped wrapped		8 Saw cut 9 Drilled holes	11 None (open noie)
	ouvered shut		Key punched		s wrapped sh cut		10 Other (specify)		
		ED INTERVALS:				ft Fr	om		
			From	ft. to		ft Fr	om	. ft. to	
	GRAVEL PA	CK INTERVALS:	: From	9 ft. to	38	ft., Fr	om	. ft. to	
			From	ft. to			rom	ft. to	
GROU	T MATERIAL				3 Bent		4 Other		
Grout Inte				ft., From	ft.	to	ft., From	ft. to	_.
		ource of possible				10 Live	estock pens	14 Abandoned w	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
	ewer lines	5 Cess	-	8 Sewage la	goon		•	(16) Other (specify	
	atertignt sew from well?	ver lines 6 Seep N	page pit	9 Feedyard			- 1	DUSTRIAL.	A600 N.
FROM	TO TO	700	LITHOLOGIC	CLOG	FROM	TO How m	u,	OLOGIC LOG	<u> </u>
0		DARK BI		AUBY SILT	1	1	2	2200.0 200	· · · · · ·
3	19		BROWN S						
		CLAY W		Urmoist					
19	29	RED BRI	DUN CLA	JBY SAND					
29	36	LIGHT GE	zeen San		4				
		SALX		1 1' '	<u>'</u>				
36	39	GREEN	ARELLACE	OUS SHALE					
				w/ gypsom					
									
						 			
						1			
CONT	PACTORIC (DD 1 AND (NAME)	DIS CERTIFICA	TION, This		untard (C) :-	apparent of an (0) alternate	d under her had a	letion and
Ompleted	on (mo/do	year) 9	2186				constructed, or (3) plugge		
							cord is true to the best of	11 En	Deliet. Nansas
				BALTHE EN					• • • • • • • • • • •

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.