


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>	<u>SW</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	<u>31</u>	<u>T 23</u> <u>S</u>	<u>R 1</u> <u>E(W)</u>

Distance and direction from nearest town or city street address of well if located within city?

5280' East and 117' North of Halstead, Kansas

2 WATER WELL OWNER:	<u>City of Halstead</u>
RR#, St. Address, Box # :	<u>303 Main, P.O. Box 312</u>
City, State, ZIP Code :	<u>Halstead, KS 67056</u>
	Board of Agriculture, Division of Water Resources
	Application Number: <u>N/A</u>

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>157</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL <u>25</u> ft. below land surface measured on mo/day/yr <u>1989</u>
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter in. to ft., and in. to ft.
	WELL WATER TO BE USED AS:
	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes <u>X</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded
(2 PVC)	4 ABS	7 Fiberglass	Threaded
Blank casing diameter <u>3</u> in. to ft., Dia. in. to ft., Dia. in. to ft.			
Casing height above land surface <u>3.5 ft. (below)</u> weight lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) <u>NA</u>
SCREEN-PERFORATED INTERVALS: From <u>NA</u> ft. to <u>NA</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	(3 Bentonite)	4 Other
Grout Intervals: From <u>75</u> ft. to <u>3.5</u> ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	(10 Livestock pens)	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well? <u>West</u>			How many feet? <u>871</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		Note: Well was flushed out with	<u>157</u>	<u>147</u>	<u>Sand, Fine</u>
		1,200 gallons of clean	<u>147</u>	<u>75</u>	<u>Gravel, Med, Clean</u>
		chlorinated water using a	<u>75</u>	<u>3.5</u>	<u>Bentonite (Hole Plug)</u>
		high pressure jetter.	<u>3.5</u>	<u>0</u>	<u>Topsoil, Clean</u>
		Well was located approxi-			
		mately 117 ft. north and			
		18 ft. east of Southwest			
		corner of Section 31 -			
		T23-R1 W			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, of (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6/23/92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>N/A</u> This Water Well Record was completed on (mo/day/yr) <u>6/24/92</u> under the business name of <u>N/A</u> by (signature) <u>[Signature]</u>
--