USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

| | ГТ | | | | | | | |
|---|----|----|-----|-----|-----|-----|-----|--|
| + | R | EW | sec | 1/4 | 1/4 | 1/4 | No. | |

Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bidg. 740 Topeka, Kansas 66620

| 1 Location of well: | County Township name Fraction | | Section number | | Town number | | Range number | | | | |
|---|-------------------------------|----------------------------|----------------|------|-------------|---|---|---|--|----|--|
| Location of well: | Harvey | | SW4, N | W4 | | <u>32</u> _ | | T23S | R1W | ļ | |
| Distance and direction from nearest town or city: | | | | | of well: | City Matter Dept. | | | | | |
| Street address of well location if in city: | | | | | ess: | | City of Newton - No. 15 Newton, Kansas | | | | |
| Locate with "X" in section below: Sketch map: | | | | | | | 4 Wel | | ate of completion $8/19$ | 75 | |
| | 1 1 1 | ₩e · | ll No. | 15 | | } | | Cable tool Rotary | Driven Dug | | |
| | | | | | | Hollow rod Jetted Bored XX Reverse rotary | | | | | |
| w | X32 | | | | | | 6 Use: Domestic X Public supply Industry Irrigation Air conditioning Commercial | | | | |
| | i i i | | | | | | Test well | | | | |
| | | | | | | | 7 Casing: Material St1 Height: above/below Threaded Welded Susurface 36 in. | | | | |
| S Mile | | | | | | | Diam. 1200 ft. depth Drive shoe? Yes No | | | | |
| 2 | | e and color of material | | | From | То | | _ in. to ft. depth ! | | 1 | |
| | | | | | | | 8 Scr Ma | _{nufacturer} Layne | | | |
| Sandy tor | o soil | | | | 0 | _ 2_ | Typ Slo | be <u>St. Stl.</u> D t/gauze <u>.105"</u> Le | ia. 12" | | |
| Clay | | | | | 2 | 25 | Set | between <u>66</u> ft. and | 30 ft | | |
| Fine to | coarse sand | & gravel | | | 25 | 35 | Gro | ovel pack XXYes No S | 1/8-3/8 Size range of material — | 1 | |
| Clay | | | | | 35 | 57 | 38 <u>.</u> | tic water level: 90ft. below land surface | _{Date} <u>8/11</u> /75 | | |
| Fine to | coarse sand | & fine to | md. gra | avel | 57 | 73 | 10 Pur 5 | nping level below land surf | aces: 525, p.m. | | |
| Clay | | | | | 73 | 76 | <u>5</u> | 9 ft after 1 hrs | pumping 625g.p.m. | | |
| Fine to coarse sand & gravel | | | | | 76 | 95 | 11 Wa | | <u>8/1</u> 1/75 | 1 | |
| Clay | | | | | 95 | 105 | 12 We | Il hand completion. | 36" Sinches above grade | 1 | |
| Fine to | coarse sand | & gravel w | /some | clay | 105 | 137 | Pitless adapter Sinches above grade 13 Well grouted? Siyes No | | | 1 | |
| Blue shale | | | | | 137 | 140 | | Neat cement Bentonit | | - | |
| | | | | | | | _ | | | 1. | |
| | | | | | | | ft. We | 150Qirection N | ntamination: • E • Type Sep tion? X Yes □ No | | |
| | | | | | | | 15 Pur | np: | Not installed | 1 | |
| | | | | | | | Mo | odel number 10RK | | þ | |
| | | | | | L | | 4 | ngth of drop pipe <u>80</u> f | t. capacity 500g.m.p. | | |
| | | | | | | ļ | | Submersible | ₹ Turbine | | |
| | (us | e a second sheet if needed |) | | | | | Jet Certrifugal | Reciprocating Other | | |
| 16 Remarks: elevation | | | | | | ater well contractor's certif is well was drilled under my | | | | | |
| | | | | | | | 1 | ort is true to the best of m | ' ' | | |
| Topography: | | | | | | | Layne Western Co. 102 Business name License No. | | | | |
| ☐ Slope | | | | | | Address Wichita, Kansas Signed Date 8/20/7 | | | | | |
| ☑ Upland ☑ Valley | | | | | | Sig | Authorized represe | | | | |