


WATER WELL RECORD		Form WWC-5		KSA 82a-1212 ID No.	
LOCATION OF WATER WELL:		Fraction		Section Number	
County: <u>Harvey</u>		<u>NE 1/4 SW 1/4 SW 1/4</u>		<u>24</u>	
Distance and direction from nearest town or city street address of well if located within city?		Township Number		Range Number	
<u>1/2 mi W of Newton - 1009 Lazy Creek Dr</u>		T <u>23</u> S		R <u>1</u> EW	
WATER WELL OWNER:		R#, St. Address, Box #		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code		Application Number:			
<u>Alan DeMoss</u>		<u>1009 Lazy Creek Dr</u>			
<u>Newton, KS 67114</u>					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL		ft. ELEVATION:	
		<u>94</u>		<u>94</u>	
		Depth(s) Groundwater Encountered		1. ft. 2. ft. 3. ft.	
		WELL'S STATIC WATER LEVEL		<u>12</u> ft. below land surface measured on mo/day/yr	
		Pump test data: Well water was		<u>90</u> ft. after <u>1</u> hours pumping <u>15</u> gpm	
		Est. Yield		<u>15</u> gpm: Well water was	
		Bore Hole Diameter		<u>8</u> in. to <u>29</u> ft., and <u>5 3/4</u> in. to <u>94</u> ft.	
		WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well	
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes		No <u>X</u> ; If yes, mo/day/yr sample was submitted	
		Water Well Disinfected? Yes		No <u>X</u>	
TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued <u>X</u> Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below)		Welded	
<u>PVC</u> 4 ABS		7 Fiberglass		Threaded	
Blank casing diameter		<u>17</u> in. to <u>17</u> ft., Dia		in. to ft., Dia in. to ft.	
Casing height above land surface		<u>12</u> in., weight <u>2.29</u> lbs./ft. Wall thickness or gauge No.		<u>160</u>	
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>PVC</u> 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		10 Other (specify)		ft.	
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From		<u>17</u> ft. to <u>29</u> ft., From		ft. to ft.	
GRAVEL PACK INTERVALS: From		<u>15</u> ft. to <u>29</u> ft., From		ft. to ft.	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From		<u>2</u> ft. to <u>15</u> ft., From		ft. to ft.	
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		12 Fertilizer storage 16 Other (specify below)			
<u>Watertight sewer lines</u> 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? <u>N</u>		How many feet? <u>30</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>6</u>	<u>Fill Dirt</u>			
<u>6</u>	<u>17</u>	<u>Gr Clay</u>			
<u>17</u>	<u>27</u>	<u>F-M Sand + Clay mix</u>			
<u>27</u>	<u>94</u>	<u>Shale</u>			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-17-01</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>447</u> This Water Well Record was completed on (mo/day/yr) <u>5-26-01</u> under the business name of <u>Miller Drilling</u> by (signature) <u>E. Miller</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					