

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>	<u>NE 1/4 SE 1/4 SE 1/4</u>	<u>4</u>	T <u>23</u> S <u>0</u>	R <u>1</u> E <u>0</u>
Distance and direction from nearest town or city street address of well if located within city? <u>See below</u>				

2 WATER WELL OWNER: <u>Mike Weber</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>2025 N. Ridgely</u>	Application Number:
City, State, ZIP Code: <u>Newton, KS 67114</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>51</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered <u>1</u> ft. 2. <u>1</u> ft. 3. <u>1</u> ft. WELL'S STATIC WATER LEVEL <u>20</u> ft. below land surface measured on mo/day/yr <u>1-31-02</u> Pump test data: Well water was <u>12</u> ft. after <u>11</u> hours pumping <u>51</u> gpm Est. Yield <u>12</u> gpm: Well water was <u>11</u> ft. after <u>51</u> hours pumping <u>51</u> gpm Bore Hole Diameter: <u>1</u> in. to <u>51</u> ft., and <u>51</u> in. to <u>51</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. <u>X</u> No. <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped. <u>X</u>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded <u>X</u>
Blank casing diameter <u>5</u> in. to <u>24</u> ft., Dia <u>24</u> in. to <u>24</u> ft., Dia <u>24</u> in. to <u>24</u> ft.			Threaded <u>X</u>
Casing height above land surface <u>12</u> in., weight <u>240</u> lbs./ft. Wall thickness or gauge No. <u>psi 160</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
11 Other (specify)			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>24</u> ft. to <u>51</u> ft., From <u>51</u> ft. to <u>51</u> ft.			
GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>51</u> ft., From <u>51</u> ft. to <u>51</u> ft.			

6 GROUT MATERIAL: 3 Neat cement 20 Cement grout 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From <u>3</u> ft. to <u>20</u> ft., From <u>20</u> ft. to <u>20</u> ft., From <u>20</u> ft. to <u>20</u> ft.	
What is the nearest source of possible contamination:	
1 Septic tank	4 Lateral lines
2 Sewer lines	5 Cess pool
3 Watertight sewer lines	6 Seepage pit
7 Pit privy	8 Sewage lagoon
9 Feedyard	10 Livestock pens
11 Fuel storage	12 Fertilizer storage
13 Insecticide storage	14 Abandoned water well
15 Oil well/Gas well	16 Other (specify below)
Direction from well? <u>north</u>	How many feet? <u>200</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	19	clay			
19	35	sand			
35	43	clay			
43	46	sand			
46	51	shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-31-02</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>318</u> This Water Well Record was completed on (mo/day/yr) <u>1-31-02</u> under the business name of <u>Weninger Drilling Inc.</u> by (signature) <u>Michelle Gorges</u>
---