WA	TER WE	LL RECORD	Form WWC-5	5 Di	vision of Wate	r Resources App. No).	
		OF WATER WELL:	Fraction		on Number		Range Number	
	County: HA		SW 1/4 SW 1/4 SW 1/4	1/4	24	T 23 (S)		
	Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
			owner's address, check here		Latitude: (in decimal degrees)			
	1129 LAZY CREEK DRIVE				Longitude: (in decimal degrees) Elevation:			
	NEWTON,	KS 67114		Datur	Datum: WGS 84, NAD 83, NAD 27			
			JANTZ	Colle	ction Method:		İ	
			AZY CREEK DRIVE		GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey			
	City, State, 2	ZIP Code : NEWTO	ON, KS 67114		Digital Map/Ph	oto, Topographic	Map, Land Survey	
Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.							
	SECTION BOX: Depth(s) Groundwater Encountered (1).15 ft. (2)							
	N WELL'S STATIC WATER LEVEL 15							
	TT		test data: Well water was.					
	EST. YIELD. 20gpm. Well water was							
w	E Bore Hole Diameterin. to							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
1 1	☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S If yes, mo/day/yr sample was submitted							
-	1 mile	Water well disi	nfected? 🛛 Yes 🗌 No					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 5. in. to 30. ft., Diameter in. to ft., Diameter in. to ft.								
(Casing heigh	t above land surface12	in., Weight 2.5	ibs./ 1	ft., Wall thic	kness or gauge No	SDR26	
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☑ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 30 ft. to 80 ft., From ft. to ft.								
From								
From								
6 (ROUT MA	TERIAL: Neat cem	ent Cement grout	Bentonite [Other			
	out Intervals:	From .3 ft. t	20 ft. From	ft. to	ft	From	. ft. toft.	
Grout Intervals: From .3								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines								
		m well EAST		stance from w		is well		
	OM TO	LITHOLOG				OG (cont.) or PLU	GGING INTERVALS	
0	15	CLAY	110			J J (J J J J J J J J J J J J J J J J J		
15	30	FINE SAND						
30	80	SHALE						
					<u> </u>			
<u> </u>		<u> </u>	***************************************					
CONTRACTORIS ON LANDOWNERDIS OFFICE ATTOM THE CONTRACTOR OF THE CO								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .5/12/09								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year)								
under the business name of PREMIER PUMP & WELL SERVICE, INC. by (signature) (// LLL // LLLL)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
	KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							